

## [2017-Jul.-New2V0-621D Free PDF from Braindump2go[Q41-Q50

2017/July VMware 2V0-621D Exam Dumps with PDF and VCE New Updated in [www.Braindump2go.com](#) Today!100% 2V0-621D Real Exam Questions! 100% 2V0-621D Exam Pass Guaranteed! 1.|2017 New 2V0-621D Exam Dumps (PDF & VCE) 256Q&As Download:<https://www.braindump2go.com/2v0-621d.html> 2.|2017 New 2V0-621D Exam Questions & Answers Download:<https://drive.google.com/drive/folders/0B75b5xYLjSSNN0M4cTJyOXZySk0?usp=sharing> QUESTION 41An administrator is assigning a user the Content Library administrator role. The user will only be creating the library for a single vCenter Server.What is the lowest level of the permission heirarchy that this role can be granted to the user and still allow them to create a Content Library? A. GlobalB. Datacenter FolderC. Virtual CenterD. Datacenter Answer: AExplanation:To let a user manage a content library and its items, an Administrator can assign the Content Library Administrator role to that user as a global permission. The Content Library Administrator role is a sample role in the vSphere Web Client. Users who are Administrators can also manage libraries and their contents. If a user is an Administrator at a vCenter Server level, they have sufficient privileges to manage the libraries that belong to this vCenter Server instance, but cannot see the libraries unless they have a Read-Only role as a global permission.Reference: [http://pubs.vmware.com/vsphere-60/index.jsp?topic=%2Fcom.vmware.vsphere.vm\\_admin.doc%2FGUID-18F4B892-D685-4473-A C25-3195D68DFD90.html](http://pubs.vmware.com/vsphere-60/index.jsp?topic=%2Fcom.vmware.vsphere.vm_admin.doc%2FGUID-18F4B892-D685-4473-A C25-3195D68DFD90.html) QUESTION 42A user notifies an administrator that Content Libraries are not visible.What is a possible solution? A. Assign the user the read-only role at the global permission level.B. Assign the user the read-only role at the vCenter Server root level.C. Assign the user the read-only role at the vCenter Server data center level.D. Assign the user the read-only role at the vCenter Server cluster level. Answer: AExplanation:The direct parent for content libraries is the global root. This means that if you set a permission at a vCenter Server level and propagate it to the children objects, the permission applies to data centers, folders, clusters, hosts, virtual machines, and so on, but does not apply to the content libraries that you see and operate with in this vCenter Server instance. To assign a permission on a content library, an Administrator must grant the permission to the user as a global permission. Global permissions support assigning privileges across solutions from a global root object.Reference: [http://pubs.vmware.com/vsphere-60/index.jsp?topic=%2Fcom.vmware.vsphere.vm\\_admin.doc%2FGUID-18F4B892-D685-4473-A C25-3195D68DFD90.html](http://pubs.vmware.com/vsphere-60/index.jsp?topic=%2Fcom.vmware.vsphere.vm_admin.doc%2FGUID-18F4B892-D685-4473-A C25-3195D68DFD90.html) QUESTION 43When a Content Library is deleted, what happens to the files contained on the backing storage? A. The files will be unchanged.B. The files will be deleted.C. The files will remain and be marked as orphaned.D. The containing folder will be marked as orphaned. Answer: BExplanation:When the content library is deleted, the files in backup storage will also be deleted. QUESTION 44Which three connection types are supported between a remote site and vCloud Air? (Choose three.) A. Secure Internet ConnectivityB. Private ConnectC. Direct ConnectD. Internet ConnectivityE. Secure VPN Answer: ACEExplanation:The connection types supported between a remote site and vcloud Air is secure VPN, direct connect and Secure Internet Connectivity. QUESTION 45An administrator subscribes to the vCloud Air Disaster Recovery service.Which replicated objects can be directly monitored and managed? A. Virtual machine SnapshotsB. vAppsC. Virtual machinesD. ESXi Hosts Answer: CEExplanation:You use vSphere Replication at your source site to configure your environment and replicate virtual machines to vCloud Air. You can use vSphere Replication, the vCloud Air portal, or the vCloud Air plug-in to monitor and manage the replicated virtual machines in the cloud.Reference: [http://pubs.vmware.com/vchspugin-15/topic/com.vmware.ICbase/PDF/vca\\_plugin\\_using.pdf](http://pubs.vmware.com/vchspugin-15/topic/com.vmware.ICbase/PDF/vca_plugin_using.pdf) QUESTION 46Refer to the Exhibit. An administrator is adding an Active Directory over LDAP Identity Source for vCenter Single Sign-On, as indicated in the Exhibit. What is the correct value to configure for the Domain alias? A. The domain's NetBIOS name.B. The fully qualified domain name.C. vsphere.localD. A user defined label. Answer: AExplanation:The domain alias is usually NetBIOS name, for example, acme.lab.Reference: <https://www.virten.net/2015/02/how-to-add-ad-authentication-in-vcenter-6-0-platform-service-controller/> QUESTION 47Refer to the Exhibit. An administrator is changing the settings on a vSphere Distributed Switch (vDS). During this process, the ESXi Management IP address is set to an address which can no longer communicate with the vCenter Server. What is the most likely outcome of this action? A. The host will disconnect from the vCenter Server and remain disconnected.B. The host will automatically detect the communication issue and revert the change.C. The host will stay connected with the change, but show an alert.D. The host will disconnect and migrate the vDS portgroup to a standard switch. Answer: BExplanation:ESXi is a flexible environment that automatically detects communication issues and revert the changes made in mistake. QUESTION 48 Which secondary Private VLAN (PVLAN) type can communicate and send packets to an Isolated PVLAN? A. CommunityB. IsolatedC. PromiscuousD. Primary Answer: CEExplanation:A node attached to a port in a promiscuous secondary PVLAN may send and receive packets to any node in any others secondary VLAN associated to the same primary. Routers are typically attached to promiscuous ports.Reference: <https://communities.vmware.com/thread/483486> QUESTION 49Which three traffic types can be

configured for dedicated VMkernel adapters? (Choose three.) A. Discovery traffic B. vMotion traffic C. vSphere Replication traffic D. Provisioning traffic E. vSphere Custom traffic Answer: BCD QUESTION 50 What are two limitations of Link Aggregation Control Protocol (LACP) on a vSphere Distributed Switch? (Choose two.) A. IP Hash load balancing is not a supported Teaming Policy. B. Software iSCSI multipathing is not compatible. C. Link Status Network failover detection must be disabled. D. It does not support configuration through Host Profiles. Answer: BD !!!RECOMMEND!!! 1. | 2017 New 2V0-621D Exam Dumps (PDF & VCE) 256 Q&As Download: <https://www.braindump2go.com/2v0-621d.html> 2. | 2017 New 2V0-621D Study Guide Video: YouTube Video: [YouTube.com/watch?v=EeODpwZixxo](https://www.youtube.com/watch?v=EeODpwZixxo)