

## (2017-New-Exams)Instant Download Braindump2go 70-742 Exam Questions and Answers PDF 55q(41-46)

2017 March New 70-742 Exam Dumps with PDF and VCE Free Shared Today!Free Instant Download 70-742 PDF and VCE Dumps from [www.Braindump2go.com](http://www.Braindump2go.com) **Today! 100% Real Exam Questions! 100% Exam Pass Guaranteed!** 1.|NEW 70-742 Exam Dumps (PDF & VCE) 55Q&As Download:<http://www.braindump2go.com/70-742.html> 2.|NEW 70-742 Exam Questions & Answers Download:<https://1drv.ms/f/s!AvI7wzKf6QBjgnLH3ygYd3qfzeH8> QUESTION 41Drag and Drop QuestionYour company has multiple offices.The network contains an Active Directory domain named contoso.com. An Active Directory site exists for each office. All of the sites connect to each other by using DEFAULTIPSITELINK.The company plans to open a new office. The new office will have a domain controller and 100 client computers.You install Windows Server 2016 on a member server in the new office. The new server will become a domain controller.You need to deploy the domain controller to the new office. The solution must ensure that the client computers in the new office will authenticate by using the local domain controller.Which three actions should you perform next in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Create a new site object.	
Create a new connection object.	
Create a new subnet object.	
Move the server object of the domain controller.	

Answer:

Actions	Answer Area
Create a new connection object.	Create a new site object.
	Create a new subnet object.
	Move the server object of the domain controller.
Move the server object of the domain controller.	

QUESTION 42Hotspot QuestionYou have a server named Server1 that runs Windows Server 2016. Server1 has the Windows Application Proxy role service installed. You need to publish Microsoft Exchange ActiveSync services by using the Publish New Application Wizard. The ActiveSync services must use preauthentication.How should you configure Server1? To answer, select the appropriate options in the answer area.


Answer Area
Preauthentication method:
Active Directory Federation Services (AD FS)
Pass-through
Preauthentication type:
HTTP Basic
OAuth2
Web and MS-OFBA

Answer:

Answer Area
Preauthentication method:
Active Directory Federation Services (AD FS)
Pass-through
Preauthentication type:
HTTP Basic
OAuth2
Web and MS-OFBA

QUESTION 43Note: This question is part of a series of questions that use the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is exactly the same in each question in this series.Drag and Drop QuestionStart of repeated scenario.Your network contains an Active Directory domain named contoso.com. The domain contains a single site named Site1. All computers are in Site1.The Group Policy objects (GPOs)

for the domain are configured as shown in the exhibit.(Click the Exhibit button.)



The relevant users and client computer in the domain are configured as shown in the following table.

Object name	Object type	Object
Computer1	Computer	OU14
User1	User	OU4
User2	User	OU2

End of repeated scenario.You plan to enforce the GPO link for A6.Which five GPOs will apply to User1 in sequence when the user signs in to Computer1 after the link is enforced? To answer, move the appropriate GPOs from the list of GPOs to the answer area and arrange them in the correct order.

GPOs	Answer Area
A1	
A2	
A3	
A4	
A5	
A6	
A7	

Answer:

GPOs	Answer Area
	A3
A2	A1
A4	A5
	A7
	A6


QUESTION 44Hotspot QuestionYour network contains an Active Directory forest. The forest contains one domain named contoso.com. The domain contains two domain controllers named DC1 and DC2. DC1 holds all of the operations master roles. During normal network operations, you run the following commands on DC2:Move-ADDirectoryServerOperationMasterRole -Identity "DC2" -OperationMasterRole PDCEmulatorMove- ADDirectoryServerOperationMasterRole -Identity "DC2" -OperationMasterRole RIDMasterDC1 fails.You remove DC1 from the network, and then you run the following command: Move-ADDirectoryServerOperationMasterRole -Identity "DC2" -OperationMasterRole SchemaMasterFor each of the following statements, select Yes if the statement is true. Otherwise, select No.

Statements	Yes	No
DC2 holds the schema master operation role.	<input type="radio"/>	<input type="radio"/>
DC2 holds the PDC emulator master operation role.	<input type="radio"/>	<input type="radio"/>
Currently, you can add additional domains to the forest.	<input type="radio"/>	<input type="radio"/>

Answer:

Statements	Yes	No
DC2 holds the schema master operation role.	<input type="radio"/>	<input checked="" type="radio"/>
DC2 holds the PDC emulator master operation role.	<input checked="" type="radio"/>	<input type="radio"/>
Currently, you can add additional domains to the forest.	<input type="radio"/>	<input checked="" type="radio"/>

QUESTION 45Hotspot QuestionYou have a server named Server1 that runs Windows Server 2016. Server1 has the Web Application Proxy role service installed.You are publishing an application named App1 that will use Integrated Windows authentication as shown in the following graphic.



Use the drop-down menus to select the answer area choice that completes each statement based on the information presented in the graphic.

**Answer Area**

Before you can complete the wizard, you must [answer choice]

To ensure that users can access App1 externally, you must change the External URL to [answer choice]

Answer:

**Answer Area**

Before you can complete the wizard, you must [answer choice]

To ensure that users can access App1 externally, you must change the External URL to [answer choice]

QUESTION 46Hotspot QuestionYour network contains an Active Directory domain named contoso.com.Some user accounts in the domain have the P.O. Box attribute set.You plan to remove the value of the P.O. Box attribute for all of the users by using Ldifde.You have a user named User1 who is located in the Users container.How should you configure the LDIF file to remove the value of the P.O. Box attribute for User1? To answer, select the appropriate options in the answer area.

**Answer Area**

dn:

changetype:

delete: postOfficeBox

Answer: !!!RECOMMEND!!! 1.|NEW 70-742 Exam Dumps (PDF & VCE) 55Q&As Download:  
<http://www.braindump2go.com/70-742.html> 2.|NEW 70-742 Study Guide Video: YouTube Video:  
[YouTube.com/watch?v=orXn21aEobY](https://www.youtube.com/watch?v=orXn21aEobY)