Braindump2go 70-469 Exam Dumps New Version Provided For Free Download Today! (51-60)

All Latest Updated Questions and Answers in Braindump2go 70-469 Exam Dumps will not take you a lot of time to comprehend and you can easily cover up the entire Microsoft 70-469 syllabus for your examination.Download Braindump2go Free 70-469 Sample Questions Now, Pass 70-469 Exam in advance! Vendor: MicrosoftExam Code: 70-469Exam Name: Recertification for MCSE: Data PlatformKeywords: 70-469 Exam Dumps,70-469 Practice Tests,70-469 Practice Exams,70-469 Exam Questions,70-469 PDF,70-469 VCE Free,70-469 Book,70-469 E-Book,70-469 Study Guide,70-469 Braindump,70-469 Prep Guide

Compare
Pass
281 Q&As –
$124.99
No Discount

QUESTION 51You need to implement a solution that meets the data recovery requirements.You update each stored procedure to accept a parameter named @transactionID.What should you add next to the beginning of each stored procedure? A. SAVE TRANSACTION WITH MARK @transactionIDB. ROLLBACK DISTRIBUTED TRANSACTION @transactionIDC. BEGIN TRANSACTION WITH MARK @transactionIDD. COMMIT TRANSACTION @transactionID Answer: C Case Study 6 - Coho Winery (Question 52 - Question 65)OverviewYou are a database developer for a company named Coho Winery. Coho Winery has an office in London.Coho Winery has an application that is used to process purchase orders from customers and retailers in 10 different countries.The application uses a web front end to process orders from the Internet. The web front end adds orders to a database named Sales. The Sales database is managed by a server named Server1.An empty copy of the Sales database is created on a server named Server2 in the London office. The database will store sales data for customers in Europe.A new version of the application is being developed. In the new version, orders will be placed either by using the existing web front end or by loading an XML file.Once a week, you receive two files that contain the purchase orders and the order details of orders from offshore facilities. You run the usp_ImportOders stored procedure and the usp_ImportOrderDetails stored procedure to copy the offshore facility orders to the Sales database.The Sales database contains a table named Orders that has more than 20 million rows.Database Definitions Database and TablesThe following scripts are used to create the database and its tables:



```
CREATE DATABASE Sales;
GO
USE Sales;
GO
CREATE TABLE Products
(
  ProductID int IDENTITY(1,1) NOT NULL,
  Name nvarchar(100) NOT NULL,
  UnitPrice decimal(18,2) NOT NULL,
  Discontinued bit NOT NULL DEFAULT 0,
  CONSTRAINT PK_Products PRIMARY KEY (ProductID)
);
GO

CREATE TABLE Customers
(
  CustomerID int IDENTITY(1,1) NOT NULL,
  Name nvarchar(200) NOT NULL,
  Email nvarchar(200) NOT NULL,
  Phone nvarchar(10) NOT NULL,
  Address1 nvarchar(200) NOT NULL,
  Address2 nvarchar(200) NULL,
  City nvarchar(200) NOT NULL,
  State char(2) NOT NULL,
  ZIP char(5) NOT NULL,
  CONSTRAINT PK_Customers PRIMARY KEY (CustomerID)
);
GO

CREATE TABLE Orders
(
  OrderID int IDENTITY(1,1) NOT NULL,
  CustomerID int NOT NULL,
  OrderDate datetime NOT NULL DEFAULT GETDATE(),
  DeliveryDate datetime NOT NULL,
  [illegible]
  Amount decimal(18,2) NOT NULL,
  CONSTRAINT PK_Orders PRIMARY KEY(OrderID)
);
GO

ALTER TABLE Orders
  ADD CONSTRAINT FK_Orders_Customers
  FOREIGN KEY(CustomerID)
  REFERENCES Customers(CustomerID);
GO

CREATE TABLE OrderDetails
(
  OrderID int NOT NULL,
  LineItem int NOT NULL,
  ProductID int NOT NULL,
  Quantity int NOT NULL,
  UnitPrice decimal(18,2) NOT NULL,
  Total decimal(18,2) NOT NULL,
  Discount decimal(18,2) NULL,
  CONSTRAINT PK_OrderDetails PRIMARY KEY(OrderID, LineItem)
);
GO

ALTER TABLE OrderDetails
  ADD CONSTRAINT FK_OrderDetails_Orders
  FOREIGN KEY(OrderID)
  REFERENCES Orders(OrderID);
GO

ALTER TABLE OrderDetails
  ADD CONSTRAINT FK_OrderDetails_Products
  FOREIGN KEY(ProductID)
  REFERENCES Products(ProductID);
GO
```

Braindump2go.com

Stored ProceduresThe following are the definitions of the stored procedures used in the database:



```
CREATE PROCEDURE usp_GetOrders
AS
  SELECT OrderID, DeliveryDate, Amount
  FROM Orders
  WHERE ShipDate IS NULL
  ORDER BY DeliveryDate;
GO

CREATE PROCEDURE usp_GetOrdersByProduct
  @productID int

AS
SELECT OrderID, LineItem, Quantity,
  UnitPrice, Total, Discount
FROM OrderDetails

WHERE ProductID = @productID;
GO

CREATE PROCEDURE usp_ImportOrders
AS
BULK INSERT Orders
  FROM 'f:\orders\orders.tbl'
  WITH
    (
      FIELDTERMINATOR =' |',
      ROWTERMINATOR =' |\n'
    );
GO

CREATE PROCEDURE usp_ImportOrderDetails
  @firstRow int
AS
BULK INSERT OrderDetails
  FROM 'f:\orders\details.tbl'
  WITH
    (

      FIRSTROW = @firstRow,
      FIELDTERMINATOR =' |',
      ROWTERMINATOR =' |\n'
    );
GO
```

IndexesThe following indexes are part of the Sales database:



```
CREATE INDEX IX_Orders_ShipDate
  ON Orders(Shipdate)

  INCLUDE (CustomerID, OrderDate, Amount);
GO
```

Data ImportThe XML files will contain the list of items in each order. Each retailer will have its own XML schema and will be able to use different types of encoding. Each XML schema will use a default namespace. The default namespaces are not guaranteed to be unique.For testing purposes, you receive an XSD file from a customer.For testing purposes, you also create an XML schema collection named ValidateOrder. ValidateOrder contains schemas for all of the retailers.The new version of the application must validate the XML file, parse the data, and store the parsed data along with the original XML file in the database. The original XML file must be stored without losing any data.Reported IssuesPerformance IssuesYou notice the following for the usp_GetOrdersAndItems stored procedure:The stored procedure takes a long time to complete. Less than two percent of the rows in the Orders table are retrieved by usp_GetOrdersAndItems.A full table scan runs when the stored procedure executes. The amount of disk space used and the amount of time required to insert data are very high.You notice that the usp_GetOrdersByProduct stored procedure uses a table scan when the stored procedure is executed.Page Split IssuesUpdates to the Orders table cause excessive page splits on the IX_Orders_ShipDate index.RequirementsSite RequirementsUsers located in North America must be able to view sales data for customers in North America and Europe in a single report. The solution must minimize the amount of traffic over the WAN link between the offices.Bulk Insert RequirementsThe usp_ImportOrderDetails stored procedure takes more than 10 minutes to complete. The stored procedure runs daily. If the stored procedure fails, you must ensure that the stored procedure restarts from the last successful set of rows.Index Monitoring RequirementsThe usage of indexes in the Sales database must be monitored continuously. Monitored data must be maintained if a server restarts. The monitoring solution must minimize the usage of memory resources and processing resources. QUESTION 52You need to implement a solution that meets the site requirements.What should you implement? A. A non-indexed view on Server1B. A non-indexed view on Server2C. A distributed view on Server1D. A distributed view on Server2 Answer: C QUESTION 53You need to modify usp_GetOrdersAndItems to ensure that an order is NOT retrieved by usp_GetOrdersAndItems while the order is being updated.What should you add to usp_GetOrdersAndItems? A. Add SET TRANSACTION ISOLATION LEVEL SERIALIZABLE to line 03.B. Add SET TRANSACTION ISOLATION LEVEL SNAPSHOT to line 03.C. Add (UPDLOCK) to the end of line 06.D. Add (READPAST) to the end of line 06. Answer: D QUESTION 54You need to implement a solution that addresses the performance issues of the usp_GetOrdersByProduct stored procedure.Which statement should you execute?



○ A.
```
CREATE INDEX IX_OrderDetails_ByProduct
ON OrderDetails (ProductID)
INCLUDE (OrderID, LineItem, UnitPrice, Total, Discount)
```

○ B.
```
CREATE INDEX IX_OrderDetails_ByProduct
ON OrderDetails (ProductID)
INCLUDE (LineItem, Quantity, UnitPrice, Total, Discount)
```

○ C.
```
CREATE INDEX IX_OrderDetails_ByProduct
ON OrderDetails (ProductID)
```

○ D.
```
CREATE INDEX IX_OrderDetails_ByProduct
ON OrderDetails (ProductID)
INCLUDE (LineItem, Quantity, UnitPrice, Discount)
```

A. Option AB. Option BC. Option CD. Option D Answer: C QUESTION 55You need to implement a solution that addresses the bulk insert requirements.What should you add to line 08 in usp_ImportOrderDetails? A. LASTROW=0.B. BATCHSIZE=0.C. BATCHSIZE=1000.D. LASTROW = 1000. Answer: C QUESTION 56You discover that the usp_GetOrdersAndItems stored procedure takes a long time to complete while usp_AddOrder or usp_AddXMLOrder run.You need to ensure that usp_GetOrdersAndItems completes as quickly as possible.What should you do? (Each correct answer presents part of the solution. Choose all that apply.) A. Set the isolation level of the usp_GetOrdersAndItems stored procedure to SERIALIZABLE.B. Execute the ALTER DATABASE Sales SET ALLOW_SNAPSHOT_ISOLATION ON statement.C. Set the isolation level of the usp_AddOrder stored procedure to SERIALIZABLE.D. Set the isolation level of the usp_GetOrdersAndItems stored procedure to SNAPSHOT.E. Set the isolation level of the usp_AddOrder stored procedure to SNAPSHOT.F. Execute the ALTER DATABASE Sales SET ALLOW_SNAPSHOT_ISOLATION OFF statement. Answer: BD QUESTION 57You need to modify the Orders table to store the XML data used by the retailers.Which statement should you execute? A. ALTER OrdersADD originalOrder XML (ValidateOrder);B. ALTER OrdersADD originalOrder XML;C. ALTER OrdersADD originalOrder varchar(max);D. ALTER OrdersADD originalOrder varbinary(max); Answer: D QUESTION 58You plan to create a stored procedure that inserts data from an XML file to the OrderDetails table. The following is the signature of the stored procedure:



```
CREATE PROCEDURE usp_InsertItems
([illegible] XML ([illegible]))
```

The following is the XSD file used to create the ValidateOrder schema collection:



```
<?xml version="1.0" encoding="UTF-16"?>
<xsd:schema
   xmlns:xsd="http://www.w3.org/2001/XMLSchema" >
<xsd:element name="root">
  <xsd:complexType mixed="true">
    <xsd:sequence>
      <xsd:element name="Product"
                   minOccurs="1" maxOccurs="unbounded">
         <xsd:complexType mixed="true">
           <xsd:sequence>
             <xsd:element name="UnitPrice" type="xsd:decimal"
                          minOccurs="1" maxOccurs="1" />
             <xsd:element name="Quantity" type="xsd:integer"
                          minOccurs="1" maxOccurs="1" />
           </xsd:sequence>
           <xsd:attribute name="lineItem"
                          type="xsd:integer" use="required"/>
           <xsd:attribute name="productID"
                          type="xsd:integer" use="required"/>
         </xsd:complexType>
       </xsd:element>
     </xsd:sequence>
     <xsd:attribute name="numberItems"
                    type="xsd:integer" use="required"/>
  </xsd:complexType>
</xsd:element>
</xsd:schema>
```

You develop a code segment that retrieves the number of items and loops through each item. Each time the loop runs, a variable named @itemNumber is incremented.You need to develop a code segment that retrieves the product ID of each item number in the loop.Which code segment should you develop? A.   SET @productID = @items.value'/Root/Product/productID', int)B.   SET @productID = @items.value'/Root/Product['+ @itemNumber+ ']/@productID', int)C.   SET @productID = @items.value'/Root/Product['+ @itemNumber+ ']/productID', int)D.   SET @productID = @items.value'/Root/Product/@productID', int) Answer: B QUESTION 59You need to ensure that a new execution plan is used by usp_GetOrdersByProduct each time the stored procedure runs.What should you do? A.   Execute sp_help 'usp_GetOrdersByProduct'.B.   Execute sp_recompile 'usp_GetOrdersByProduct'.C.   Add WITH RECOMPILE to line 03 in usp_GetOrdersByProduct.D.   Add WITH (FORCESEEK) to line 07 in usp_GetOrdersByProduct. Answer: CExplanation: http://msdn.microsoft.com/en-us/librAry/ms190439(v=sql.90).aspx QUESTION 60You need to implement a solution that addresses the page split issues.Which statement should you execute? A.   ALTER INDEX IX_Orders_ShipDate ON OrdersREBUILD WITH (PAD_INDEX=OFF, DROP_EXISTING = ON);B.   ALTER INDEX IX_Orders_ShipDate ON OrdersREBUILD WITH (FILLFACTOR=50, DROP_EXISTING = ON);C.   ALTER INDEX IX_Orders_ShipDate ON OrdersREBUILD WITH (FILLFACTOR = 0, DROP_EXISTING = ON);D.   ALTER INDEX IX_Orders_ShipDate ON OrdersREBUILD WITH (PAD_INDEX=ON, DROP_EXISTING = ON); Answer: B 70-469 Updated Questions are 2015 Latest Released Which 100% will Meet in Your 70-469 Test! Braindump2go New Released 70-469 Exam Dumps Contain All New Added Questions Which Will Help you Have A Totally Success in 2015 New Tear! Download our 100% Pass Guaranteed 70-469 Exam Dumps Full Version, special 10% Off Discount enjoyed!



Compared Before Buying Microsoft 70-469 PDF & VCE!

Pass4sure	Braindump2go 100% Pass OR Money Back	Test King
281 Q&As – Practice	292 Q&As – Real Questions	281 Q&As – Practice
$124.99	$99.99	$171.32
No Discount	Coupon Code: BDNT2014	No Discount

http://www.braindump2go.com/70-469.html