

Braindump2go New Published Microsoft 70-483 Exam Dumps Questions Free Download! (111-120)

Braindump2go New Published Microsoft 70-483 Dumps PDF Contanins the latest questions from Microsoft Exam Center! 100% Certification got guaranteed! Vendor: MicrosoftExam Code: 70-483Exam Name: Microsoft Programming in C#Keywords: 70-483 Exam Dumps,70-483 Practice Tests,70-483 Practice Exams,70-483 Exam Questions,70-483 PDF,70-483 VCE Free,70-483 Book,70-483 E-Book,70-483 Study Guide,70-483 Braindump,70-483 Prep Guide

Compared Before Buying Microsoft 70-483 PDF &

Pass4sure	Braindump2go	
	100% Pass OR Money Back	
214 Q&As – Practice	231 Q&As – Real Questions	214 Q&
\$124.99	\$99.99	\$204.99
No Discount	Coupon Code: BDNT2014	No Disc

QUESTION 111You are developing an application that uses several objects. The application includes the following code segment.
(Line numbers are included for reference only.)

```
01 private bool IsNull(object obj)
02 {
03     //
04     return false;
05 }
```

You need to evaluate whether an object is null.Which code segment should you insert at line 03?

A.

```
if (obj = null)
{
    return true;
}
```

B.

```
if (null)
{
    return true;
}
```

C.

```
if (obj == 0)
{
    return true;
}
```

D.

```
if (obj == null)
{
    return true;
}
```

A. Option AB. Option BC. Option CD. Option D Answer: DExplanation:Use the == operator to compare values and in this case also use the null literal. QUESTION 112You are developing an application.The application contains the following code:When you compile the code, you receive the following syntax error message: "A previous catch clause already catches all exceptions of this or a super type ('System.Exception')."You need to ensure that the code can be compiled. What should you do?

```
class Program
{
    static void ProcessOrders (string orderRefNumber)
    {
        if (orderRefNumber == null)
        {
            throw new ArgumentNullException();
        }
        ...
    }

    static void Main()
    {
        try
        {
            ProcessOrders(orderRefNumber);
        }
        catch (ArgumentNullException e)
        {
            Console.WriteLine("(0) An exception caught.", e);
        }

        catch (Exception e)
        {
            Console.WriteLine("(0) An exception caught.", e);
        }
    }
}
```

A. Catch the ArgumentException exception instead of the ArgumentNullException exception.B. Throw a new exception in the second catch block.C. Catch the ArgumentNullException exception first.D. Re-throw the exception caught by the second catch block. Answer: A QUESTION 113You plan to store passwords in a Windows Azure SQL Database database.You need to ensure that the passwords are stored in the database by using a hash algorithm,Which cryptographic algorithm should you use? A. ECDSAB. RSA-768C. AES-256D. SHA-256 Answer: D QUESTION 114You are evaluating a method that calculates loan interest- The application includes the following code segment. (Line numbers are included for reference only.) When the loanTerm value is 3 and the loanAmount value is 9750, the loanRate must be set to 8.25 percent. You need to adjust the loanRate value to meet the requirements.What should you do?

```
01 private static decimal CalculateInterest(decimal loanAmount, int loanTerm)
02 {
03     decimal interestAmount;
04     decimal loanRate;
05     if (loanTerm > 0 && loanTerm < 5 && loanAmount < 5000m)
06     {
07         loanRate = 0.045m;
08     }
09     else if (loanTerm > 5 && loanAmount < 1000m)
10     {
11         loanRate = 0.0825m;
12     }
13     else
14     {
15         loanRate = 0.055m;
16     }
17     interestAmount = loanAmount * loanRate * loanTerm;
18     return interestAmount;
19 }
```

A. Replace line 04 with the following code segment:decimal loanRate = 0.0325m;B. Replace line 17 with the following code segment:interestAmount = loanAmount * 0.0825m * loanTerm;C. Replace line 15 with the following code segment:loanRate = 0.0825m;D. Replace line 07 with the following code segment:loanRate = 0.0825m; Answer: C QUESTION 115You are developing code for an application that retrieves information about Microsoft .NET Framework assemblies.The following code segment is part of the application (line numbers are included for reference only):You need to insert code at line 04. The code must load the assembly. Once the assembly is loaded, the code must be able to read the assembly metadata, but the code must be denied access from executing code from the assembly.Which code segment should you insert at line 04?

```
01 public void ViewMetadata(string file)
02 {
03     var bytes = File.ReadAllBytes(file);
04     ...
05     ...
06 }
```

A. Assembly.ReflectionOnlyLoadFrom(bytes);B. Assembly.ReflectionOnlyLoad(bytes);C. Assembly.Load(bytes);D. Assembly.LoadFrom(bytes); Answer: C QUESTION 116Hotspot QuestionYou are reviewing the following code:

```
[System.FlagsAttribute]
public enum Group
{
    Users = 1,
    Supervisors = 2,
    Managers = 4,
    Administrators = 8
}

public class User
{
    public Group UserG
}
```

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

	Yes	No
A user can be a member of more than one of the groups.	<input type="radio"/>	<input type="radio"/>
If the user belongs to only the Administrators group, the following code will return a value of true: user.UserGroup == Group.Administrators	<input type="radio"/>	<input type="radio"/>
If the user belongs to only the Supervisors group, the following code will return a value of true: user.UserGroup != Group.Administrators	<input type="radio"/>	<input type="radio"/>

Answer:

	Yes	No
A user can be a member of more than one of the groups.	<input type="radio"/>	<input checked="" type="radio"/>
If the user belongs to only the Administrators group, the following code will return a value of true: user.UserGroup == Group.Administrators	<input checked="" type="radio"/>	<input type="radio"/>
If the user belongs to only the Supervisors group, the following code will return a value of true: user.UserGroup != Group.Administrators	<input type="radio"/>	<input checked="" type="radio"/>

QUESTION 117You are developing a method named GetHashCode that will return a hash value for a file. The method includes the following code. (Line numbers are included for reference only.)

```
01 public byte[] GetHashCode(string filename, string algorithmType)
02 {
03     // ...
04     // ...
05     // ...
06 }
```

You need to return the cryptographic hash of the bytes contained in the fileBytes variable. Which code segment should you insert at

line 05?

A. `var outputBuffer = new byte[fileBytes.Length];
hasher.TransformBlock(fileBytes, 0, fileBytes.Length, outputBuffer, 0);
hasher.TransformFinalBlock(fileBytes, fileBytes.Length - 1, fileBytes.Length);
return outputBuffer;`

B. `hasher.ComputeHash(fileBytes);
return hasher.Hash;`

C. `var outputBuffer = new byte[fileBytes.Length];
hasher.TransformBlock(fileBytes, 0, fileBytes.Length, outputBuffer, 0);
return outputBuffer;`

D. `hasher.ComputeHash(fileBytes);
return hasher.Hash;`

A. Option AB. Option BC. Option CD. Option D Answer: A QUESTION 118You are debugging a 64-bit C# application. Users report System.OutOfMemoryException exceptions. The system is attempting to use arrays larger than 2 GB in size. You need to ensure that the application can use arrays larger than 2 GB. What should you do? A. Add the /3GB switch to the boot.ini file for the operating system. B. set the IMAGE_FILE_LARGE_ADDRESS_AWARE flag in the image header for the application executable file. C. set the value of the gcAllowVeryLargeObjects property to true in the application configuration file. D. Set the value of the user-mode virtual address space setting for the operating system to MAX. Answer: C QUESTION 119Drag and Drop QuestionYou are developing a class named Temperature. You need to ensure that collections of Temperature objects are sortable. How should you complete the relevant code segment? (To answer, drag the appropriate code segments to the correct locations in the answer area. Each code segment may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.)

```
public class Temperature : IComparable
{
    public class Temperature : IComparer
    {
        CompareTo
        Equals
        this.Fahrenheit.CompareTo(otherTemperature.Fahrenheit);
        otherTemperature.Fahrenheit.CompareTo(this.Fahrenheit);
    }
}
```

Braindump2go.com

```
{
    public double Fahrenheit { get; set; }
    public int
    {
        (object obj)
        {
            if (obj == null) return 1;
            var otherTemperature = obj as Temperature;
            if (otherTemperature != null)
            {
                return
            }
            throw new ArgumentException("Object is not a Temperature");
        }
    }
}
```

Answer:

```
public class Temperature : IComparable
{
    public class Temperature : IComparer
    {
        CompareTo
        Equals
        this.Fahrenheit.CompareTo(otherTemperature.Fahrenheit);
        otherTemperature.Fahrenheit.CompareTo(this.Fahrenheit);
    }
}
```

Braindump2go.com

```
public class Temperature : IComparable
{
    public double Fahrenheit { get; set; }
    public int
    {
        (object obj)
        {
            if (obj == null) return 1;
            var otherTemperature = obj as Temperature;
            if (otherTemperature != null)
            {
                return this.Fahrenheit.CompareTo(otherTemperature.Fahrenheit);
            }
            throw new ArgumentException("Object is not a Temperature");
        }
    }
}
```

QUESTION 120 Drag and Drop Question You are adding a method to an existing application. The method uses an integer named statusCode as an input parameter and returns the status code as a string. The method must meet the following requirements:- Return "Error" if the statusCode is 0.- Return "Success" if the statusCode is 1.- Return "Unauthorized" if the statusCode is any value other than 0 or 1. You need to implement the method to meet the requirements. How should you complete the relevant code? (To answer, drag the appropriate statements to the correct locations in the answer area. Each statement may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.)

default
switch
break
case

```
string statusText;
(statusCode)
{
    0:
        statusText = "Error";
    1:
        statusText = "Unauthorized";
}
return statusText;
```

Braindump2go.com

Answer:

default
switch
break
case

```
string statusText;
switch (statusCode)
{
    case 0:
        statusText = "Error";
        break;
    case 1:
        statusText = "Unauthorized";
        break;
    default:
        statusText = "Unauthorized";
        break;
}
return statusText;
```

Braindump2go.com

Braindump2go Offers PDF & VCE Dumps Download for New Released Microsoft 70-483 Exam! 100% Exam Success Guaranteed OR Full Money Back Instantly!

Compared Before Buying Microsoft 70-483 PDF & VCE!		
Pass4sure	Braindump2go 100% Pass OR Money Back	Test King
214 Q&As – Practice	231 Q&As – Real Questions	214 Q&As – Practice
\$124.99	\$99.99	\$204.99
No Discount	Coupon Code: BDN2014	No Discount

<http://www.braindump2go.com/70-483.html>