


Braindump2go Releases New Microsoft 70-412 Exam Dumps Free Version! (341-350)

MICROSOFT OFFICIAL: New Updated 70-412 Exam Questions from Braindump2go 70-412 PDF Dumps and 70-412 VCE Dumps! Welcome to Download the Newest Braindump2go 70-412 VCE&PDF Dumps: <http://www.braindump2go.com/70-412.html> (392 Q&As) 70-412 Exam Dumps Free Shared By Braindump2go For Instant Download Now! Download Latest 70-412 Exam Questions and pass 70-412 one time easily! Do you want to be a winner? Exam Code: 70-412 Exam Name Configuring Advanced Windows Server 2012 Services Certification Provider: Microsoft Corresponding Certifications: MCSA: Windows Server 2012, MCSE: Desktop Infrastructure, MCSE: Private Cloud, MCSE: Server Infrastructure Keywords: 70-412 Dumps, 70-412 Exam Questions, 70-412 Book, 70-412 E-Book, 70-412 PDF, 70-412 VCE, 70-412 Configuring Advanced Windows Server 2012 R2 Services, 70-412 Braindump, 70-412 Study Guide, 70-412 Practice Tests, 70-412 Practice Exams

Configuring Advanced Windows Server 2012

Exam: 70-412



Product Description Exam Number/Code:
Exam Number/Code: 70-412

"Configuring Advanced Windows Server 2012 R2 Services" is a Microsoft Certification. With the complete collection of questions and answers, Braindump2go has assembled to take you through 392 Q&As. In the 70-412 exam resources, you will cover every feature of the Microsoft Certification helping to ready you for your success.

Free Demo Download

Braindump2go offers free demo for 70-412 exam (Configuring Advanced Windows Server 2012 R2 Services Exam). You can check out the interface, and practice exams before you decide to buy it.

☒ Printable PDF ☒ Premium VCE + VCE Simulator

Questions and Answers : 392
Q&As
Updated: Sep 22, 2015
~~\$429.99~~ **\$99.99**

[PDF DEMO](#)

[CHECK OUT](#)

QUESTION 341 You are configuring secondary links for the connections between the Melbourne and Sydney sites and between the Melbourne and Adelaide sites. The existing Melbourne to Sydney site link is called MEL-SYD-ALPHA and has a site link cost of 100. The existing Melbourne to Adelaide site link is called MEL-ADL-ALPHA and has a site link cost of 100. You want the secondary site links to be used only when the existing site links are unavailable. The new site links are named MEL-SYD-BETA and MEL-ADL-BETA. Which of the following steps should you take to accomplish this goal? A. Configure the site link cost for the MEL-SYD-BETA with a value of 110. B. Configure the site link cost for the MEL-ADL-BETA with a value of 110. C. Configure the site link cost for the MEL-ADL-BETA with a value of 90. D. Configure the site link cost for the MEL-SYD-BETA with a value of 90. Answer: AB

QUESTION 342 You have moved several domain controllers out of your organization's head office site to a new secondary datacenter that has its own site. Which of the following consoles should be used to update the site association of these domain controllers? A. Active Directory Administrative Center B. Active Directory Users and Computers C. Active Directory Sites And Services D. Active Directory Domains And Trusts Answer: C


QUESTION 343 Which of the following services would you restart on a domain controller if you wanted to trigger a reregistration of the domain controller's _ldap and _kerberos SRV records? A. DNS Server B. Server C. Workstation D. Netlogon Answer: D

QUESTION 344 You have a server named Server1 that runs Windows Server 2012 R2. You modify the properties of a system driver and you restart Server1. You discover that Server1 continuously restarts without starting Windows Server 2012 R2. You need to start Windows Server 2012 R2 on Server1 in the least amount of time. The solution must minimize the amount of data loss. Which Advanced Boot Option should you select? A. Repair Your Computer B. Last Known Good Configuration (advanced) C. Disable Driver Signature Enforcement D. Disable automatic restart on system failure Answer: B

Explanation: Try using Last Known Good Configuration if you can't start Windows, but it started correctly the last time you turned on the computer.

QUESTION 345 Your network contains an Active Directory domain named contoso.com. The domain contains two member servers named Server1 and Server2. All servers run Windows Server 2012 R2. Server1 and Server2 are nodes in a Hyper-V cluster named Cluster1. Cluster1 hosts 10 virtual machines. All of the virtual machines run Windows Server 2012 R2 and are members of the domain. You need to ensure that the first time a service named Service1 fails on a virtual machine, the virtual machine is moved to a different node. You configure Service1 to be monitored from Failover Cluster Manager. What should you configure on the virtual machine? A. From the Recovery settings of Service1, set the First failure recovery action to Take No Action. B. From the General settings, modify the Startup type. C. From the Recovery settings of Service1, set the First failure recovery action to Restart the Service. D. From the General settings, modify the Service status. Answer: A

Explanation: When a monitored service fails the Recovery features of the service will take action.



Service RecoveryIn this case for the first failure the service will be restarted by the Service Control Manager inside the guest operating system, if the service fails for a second time the service will again be restarted via guest operating system. In case of a third failure the Service Control Manager will take no action and the Cluster service running on the Hyper-V host will takeover recovery actions. QUESTION 346You have a cluster named Cluster1 that contains two nodes. Both nodes run Windows Server 2012 R2. Cluster1 hosts a virtual machine named VM1 that runs Windows Server 2012 R2.You configure a custom service on VM1 named Service1.You need to ensure that VM1 will be moved to a different node if Service1 fails.Which cmdlet should you run on Cluster1? A. Add-ClusterVmMonitoredItemB. Set-ClusterResourceDependencyC. Enable- VmResourceMeteringD. Add-ClusterGenericServiceRole Answer: AExplanation:* The Add-ClusterVMMonitoredItem cmdlet configures monitoring for a service or an Event Tracing for Windows (ETW) event so that it is monitored on a virtual machine. If the service fails or the event occurs, then the system responds by taking an action based on the failover configuration for the virtual machine resource. For example, the configuration might specify that the virtual machine be restarted or failover.* The decision on whether to failover or restart on the same node is configurable and determined by the failover properties for the virtual machine. QUESTION 347You have an enterprise certification authority (CA) named CA1.You have a certificate template named UserAutoEnroll that is based on the User certificate template. Domain users are configured to autoenroll for UserAutoEnroll.A user named User1 has an email address defined in Active Directory. A user named User2 does not have an email address defined in Active Directory.You discover that User1 was issued a certificate based on UserAutoEnroll template automatically. A request by user2 for a certificate based on the UserAutoEnroll template fails.You need to ensure that all users can autoenroll for certificated based on the UserAutoEnroll template.Which setting should you configure from the properties on the UserAutoEnroll certificate template? A. Issuance RequirementsB. Request HandlingC. CryptographyD. Subject Name Answer: DExplanation:Template properties - Subject Name tabE-mail name. If the E-mail name field is populated in the Active Directory user object, that e-mail name will be used for user accounts.The e-mail name is required for user certificates. If the e-mail name is not populated for a user in AD DS, the certificate request by that user will fail.[https://technet.microsoft.com/en-us/library/Cc725621\(v=WS.10\).aspx](https://technet.microsoft.com/en-us/library/Cc725621(v=WS.10).aspx) QUESTION 348Note: This questions is part of series of questions that use the same or similar answer choices. An answer choice may be correct for more than one question in the series. Each question is independent of the other questions in this series. Information and details provided in a question apply only to that question.Your network contains one Active Directory forest named contoso.com. The forest contains two child domains and six domain controllers. The domain controllers are configured as shown in the following table.

Name	Domain
DC1	Contoso.com
DC2	Contoso.com
DC3	Contoso.com
DC4	Contoso.com
DC5	Sales.contoso.com
DC6	Manufacturing.com

You create a trust between contoso.com and a domain in another forest at a partner company.You need to prevent the sales.contoso.com and the manufacturing.contoso.com names from being used in authentication requests across the forest trust.What

should you use? A. Set-ADSiteB. Set-ADReplicationSiteC. Set-ADDomainD. Set-ADReplicationSiteLinkE. Set-ADGroupF. Set-ADForestG. Netdom Answer: GExplanation:You can use this procedure to prevent authentication requests for specific name suffixes from being routed to a forest, or you can use this procedure to allow authentication requests for specific name suffixes to be routed to a forest. You can enable or disable an existing name suffix for routing by using the New Trust Wizard in Active Directory Domains and Trusts or by using the Netdom command-line tool. For more information about how to use the Netdom command-line tool to modify name suffix routing settings, see "Netdom.exe: Windows Domain Manager" in the Windows Server 2003 Technical Reference on the Microsoft Web site (<http://go.microsoft.com/fwlink/?LinkId=41700>).

<https://technet.microsoft.com/en-us/library/cc772217.aspx> QUESTION 349Note: This questions is part of series of questions that use the same or similar answer choices. An answer choice may be correct for more than one question in the series. Each question is independent of the other questions in this series. Information and details provided in a question apply only to that question.Your network contains one Active Directory forest named contoso.com. The forest contains two child domains and six domain controllers. The domain controllers are configured as shown in the following table.


Name	Domain	Site
DC1	Contoso.com	Main office
DC2	Contoso.com	Main office
DC4	Contoso.com	Asia office
DC5	Sales.contoso.com	Main office
DC6	Manufacturing.contoso.com	Main office

You need to prevent administrators from accidentally deleting any of the site in the forest.What should you use? A. Set-ADSiteB. Set-ADReplicationSiteC. Set-ADDomainD. Set-ADReplicationSiteLinkE. Set-ADGroupF. Set-ADForestG. Netdom Answer: BExplanation:Set-ADReplicationSite (Set-ADReplicationSite -ProtectedFromAccidentalDeletion \$true) QUESTION 350 Note: This questions is part of series of questions that use the same or similar answer choices. An answer choice may be correct for more than one question in the series. Each question is independent of the other questions in this series. Information and details provided in a question apply only to that question.Your network contains one Active Directory forest named contoso.com. The forest contains two child domains and six domain controllers. The domain controllers are configured as shown in the following table.

Name	Domain	Site
DC1	Contoso.com	Main office
DC2	Contoso.com	Main office
DC4	Contoso.com	Asia office
DC5	Sales.contoso.com	Main office
DC6	Manufacturing.contoso.com	Main office

You need ensure that all Active Directory changes are replicated to all of the domain controllers in the forest within 30 minutes. What should you use? A. Set-ADSiteB. Set-ADReplicationSiteC. Set-ADDomainD. Set-ADReplicationSiteLinkE. Set-ADGroupF. Set-ADForestG. Netdom Answer: DExplanation:This command gets all the site links in the directory with replication frequency greater than or equal to 60 minutes, and then sets the Cost property on these site link objects to 200. [https://technet.microsoft.com/en-us/library/Hh852257\(v=WPS.630\).aspx](https://technet.microsoft.com/en-us/library/Hh852257(v=WPS.630).aspx) All the 392 Questions and Answers in Braindump2go 70-412 Exam Dumps are the latest 70-412 Real Exam Questions not just 70-412 Practice Tests Questions! Braindump2go Microsoft 70-412 Exam Dumps PDF&VCE Guarantees you 100% Pass 70-412 Exam! Braindump2go Can Provide the Latest 70-412 Dumps Questions from Microsoft Official Exam Center for You!

Configuring Advanced Windows Server 2012 R2 Services Exam: 70-412



Questions and Answers : 392
Q&As
Updated: Sep 22, 2015
\$129.99 **\$99.99**
[PDF DEMO](#)
[CHECK OUT](#)

Product Description Exam Number/Code: 70-412
Exam Number/Code: 70-412

"Configuring Advanced Windows Server 2012 R2 Services Exam", also known as the 70-412 exam, is a Microsoft Certification. With the complete collection of questions and answers, Braindump2go has assembled to take you through 392 Q&As to your 70-412 exam. In the 70-412 exam resources, you will cover every field and category in Microsoft Certification helping to ready you for your successful Microsoft Certification.

Free Demo Download

Braindump2go offers free demo for 70-412 exam (Configuring Advanced Windows Server 2012 R2 Services Exam). You can check out the interface, question quality and user interface before you decide to buy it.

☒ Printable PDF ☒ Premium VCE + VCE Simulator

FREE DOWNLOAD: NEW UPDATED 70-412 PDF Dumps & 70-412 VCE Dumps from Braindump2go:
<http://www.braindump2go.com/70-412.html> (392 Q&A)