

Free Download PDF & VCE Format Microsoft 70-480 Dumps With New Changed Questions from Braindump2go (121-130)

MICROSOFT OFFICIAL: New Updated 70-480 Exam Questions from Braindump2go 70-480 PDF Dumps and 70-480 VCE Dumps! Welcome to Download the Newest Braindump2go 70-480 VCE&PDF Dumps: **http://www.braindump2go.com/70-480.html** (225 Q&As) Braindump2go Updates Microsoft 70-480 Exam Dumps Questions, adds some new changed questions from Microsoft Official Exam Center. Want to know 2015 70-480 Exam test points? Download the following free Braindump2go Latest Exam Questions Today! Exam Code: 70-480Exam Name Programming in HTML5 with JavaScript and CSS3Certification Provider: MicrosoftCorresponding Certifications: MCSD, MCSD: SharePoint Applications, MCSD: Web Applications, MCSD: Windows Store Apps, Microsoft Specialist: Visual StudioKeywords:70-480 Dumps,70-480 Exam Questions,70-480 VCE,70-480 PDF,70-480 Practice Exams,70-480 Practice Tests,70-480 Braindump,70-480 Programming in HTML5 with JavaScript and CSS3




QUESTION 121You are creating a blog site by using HTML5 and JavaScript. An inline frame enables users to post comments. It is possible for users to inject malicious scripts into their comments.You need to minimize the ability for malicious scripts to execute on the site.Which line of code should you use? A. <iframe sandbox src="frame1.htmlnX/iframe>B. <iframe seamless="allowscripts" src="frame1.html"<>/iframe>C. <iframe seamless src="frame1.html"></iframe>D. <iframe sandbox="allowscripts" src"frame1.html"x/iframe> Answer: A QUESTION 122You develop an application to host user-generated HTML and JavaScript content.A common error handler in your application must process all unhandled errors.You need to implement global error handling for the application.Which code segment should you use?




A. Option AB. Option BC. Option CD. Option D Answer: A QUESTION 123Hotspot QuestionYou are validating user

This page was exported from - Braindump2go Exam Dumps Free Download
Export date: Thu Mar 28 15:11:50 2024 / +0000 GMT

input by using built-in JavaScript functions.The application must:- Store the value that is entered in a variable named inputValue - Use the built-in isNaN(tnputValue) function to evaluate the data typeYou need to validate the return value of the isNaN(inputValue) function.Which values will be returned? (To answer, configure the appropriate options in the dialog box in the answer area.)



Answer:



QUESTION 124You develop an HTML5 webpage. You have the following HTML markup:



Which code segment should you add to the webpage?

A.
```
$('#addBoxOfItems').on(function (event) {
  for (var i = 0; i < itemsPerBox; i++) {
    $('#addOneItem').trigger('click');
  }
});
```

B.
```
$('#addBoxOfItems').click(function (event) {
  for (var i = 0; i < itemsPerBox; i++) {
    $('#addOneItem').click('click');
  }
});
```

Braindump2go.com

C.
```
$('#addBoxOfItems').on(function (event) {
  for (var i = 0; i < itemsPerBox; i++) {
    $('#addOneItem').click();
  }
});
```

D.
```
$('#addBoxOfItems').click(function (event) {
  for (var i = 0; i < itemsPerBox; i++) {
    $('#addOneItem').trigger('click');
  }
});
```

A. Option AB. Option BC. Option CD. Option D Answer: D QUESTION 125You develop an HTML5 webpage. You have the following HTML markup:<input type="text" id="username" />You need to prevent users from entering specific characters into the username field.What should you do? A. Using the keyup event, add an anonymous function that returns true when a specific character keycode value is determined.B. Using the change event, add an anonymous function that returns true when a specific character keycode value is determined.C. Using the keydown event, add an anonymous function that returns false when a specific character keycode value is determined.D. Using the change event, add an anonymous function that returns false when a specific character keycode value is determined. Answer: B QUESTION 126You are developing a customer contact form that will be displayed on a page of a company's website. The page collects information about the customer.If a customer enters a value before submitting the form, it must be a valid email address.You need to ensure that the data validation requirement is met.What should you use? A. <input name="email" type="input" required="required"/>B. <input name=email" type="url" required="email"/>C. <input name="email" class" email"/>D. <input name="email" type="email"/> Answer: D QUESTION 127You troubleshoot a webpage that contains the following HTML markup: (Line numbers are included for reference only.)

```
01 <div onclick="someEvent()">
02   <input type="radio" name="sizeRadio" id="sizeRadioSml"
<label for="sizeRadioSml">Small</label>
03 <input type="radio" name="sizeRadio" id="sizeRadioMed"
04   <input type="radio" name="sizeRadio" id="sizeRadioLrg"
<label for="sizeRadioLrg">Large</label>
05 </div>
```

Braindump2go.com

The webpage also contains the following JavaScript function named someEvent() that is declared in the HEAD section of the HTML:Function someEvent() {Alert('someEvent fired!');}The JavaScript function named someEvent() must run only when the user clicks the DIV element, not the INPUT elements.You need to modify the webpage to invoke the JavaScript function named someEvent().What should you do? (Each correct answer presents a complete solution. Choose two.)

A. Modify all INPUT elements by using the following HTML attribute:

```
onclick="stopPropagation(event)"
```

Declare the JavaScript function named **stopPropagation()** in the HEAD sect

```
function stopPropagation(event) {
  event = event || window.event;
  if (event.stopPropagation) {
    event.stopPropagation();
  } else {
    event.cancelBubble = true;
  }
}
```

B. Place all INPUT elements within a SPAN element.

C. Braindump2go.com

```
<div onclick="someEvent(this,event)">
```

Modify the JavaScript function named **someEvent()** as follows:

```
function someEvent( el, event ) {
  var target = event.srcElement || event.target;
  if( el === target ) {
    alert('someEvent fired!');
  }
}
```

D. Replace the DIV element declaration at line 01 with the following HTML mark

```
<div>
```

Modify all INPUT elements by using the following HTML attribute:

```
onclick="someEvent()"
```

A. Option AB. Option BC. Option CD. Option D Answer: AB QUESTION 128You develop a webpage by using HTML5. The user interface of the webpage must show a gray-lined box that contains the label Enter your information:. Inside the box are two labels and two input boxes. The first input box must be labeled Name:. The second input box must be labeled Email:. Below the box is a Submit button.The user interface must look like the following;



Braindump2go.com

You need to create the user interface.Which markup should you use?

A.
```
<table border="1">
  <tr>
    <td>Enter your information:<br />
      Name: <input type="text" /><br />
      Email: <input type="email" /><br />
    </td>
  </tr>
</table>
<button value="submit">Submit</button>
```

B.
```
<fieldset>
  <legend>Enter your information:</legend>
  Name: <input type="text" /><br />
  Email: <input type="email" /><br />
</fieldset>
<button value="submit">Submit</button>
```

Braindump2go.com

C.
```
<details>
  <label>Enter your information:</label>
  Name: <input type="text" /><br />
  Email: <input type="email" /><br />
</details>
<button value="submit">Submit</button>
```

D.
```
<section>
  <label>Enter your information:</label>
  Name: <input type="text" /><br />
  Email: <input type="email" /><br />
</section>
<button value="submit">Submit</button>
```

A. Option AB. Option BC. Option CD. Option D Answer: B QUESTION 129You are developing an application to track project management for your company. The status of the project is stored in a variable named percentComplete.The method must execute only when percentComplete is equal to the numeric value 100.You need to develop the application to meet the requirement. Which code segment should you use?

A.
```
if (percentComplete = 100 || percentComplete != 100) {
  ...
}
```

B.
```
if (percentComplete = 100 && percentComplete != 100) {
  ...
}
```


C.
```
if (percentComplete % 100) {
  ...
}
```

Braindump2go.com

D.
```
if (percentComplete === 100) {
  ...
}
```

E.
```
if (percentComplete = 100) {
  ...
}
```


A. Option AB. Option BC. Option CD. Option D Answer: D QUESTION 130Drag and Drop QuestionYou develop a website for a company by using HTML5.You have the following requirements:- Allow multiple news postings per page under the title "Welcome to the Semantic Web!".- Search engines must be able to index individual news postings. - News postings must be styled by using the following CSS markup:.posting { line-height: 150%;)You need to structure the markup for each individual news posting.How should you complete the relevant markup? (To answer, drag the appropriate markup to the correct location or locations in the answer area. Use only markup that applies.)



Answer:



Braindump2go Regular Updates of Microsoft 70-480 Preparation Materials Exam Dumps, with Accurate Answers, Keeps the Members One Step Ahead in the Real 70-480 Exam. Field Experts with more than 10 Years Experience in Certification Field work with us.



70-480 PDF Dumps & 70-480 VCE Dumps Full Version Download(225q): http://www.braindump2go.com/70-480.html