[OFFICIALBraindump2go 70-480 Questions Instant Download (101-110)

MICROSOFT OFFICIAL: New Updated 70-480 Exam Questions from Braindump2go 70-480 PDF Dumps and 70-480 VCE Dumps! Welcome to Download the Newest Braindump2go 70-480 VCE&PDF Dumps:

http://www.braindump2go.com/70-480.html (225 Q&As) The 70-480 Exam Practice Questions and Answers are ideal for the aspring candiates to grab exceptional grades in Microsoft 70-480 Exam! The 70-480 Questions and Answers are developed using the latest updated course content and all the answers are verified to ensure phenoment preparation for the actual 70-480 Exam! Exam Code: 70-480Exam Name Programming in HTML5 with JavaScript and CSS3Certification Provider: MicrosoftCorresponding Certifications: MCSD, MCSD: SharePoint Applications, MCSD: Web Applications, MCSD: Windows Store Apps, Microsoft Specialist: Visual StudioKeywords:70-480 Dumps,70-480 Exam Questions,70-480 VCE,70-480 PDF,70-480 Practice Exams,70-480 Practice Tests,70-480 Braindump,70-480 Programming in HTML5 with JavaScript and CSS3

Programming in HTML5 with JavaScrip



QUESTION 101Drag and Drop QuestionYou are developing an application by using JavaScript. You must write a function that returns the sum of the variables named v1, v2, v3, v4. You need to complete the sum function. How should you complete the relevant code? (To answer, drag the appropriate code segment or segments to the correct location or locations in the answer area. Use only

code segments that apply.)



Answer:



QUESTION 102Drag and Drop QuestionYou create an HTML5 application that includes JavaScript. The application performs several AJAX requests. One AJAX request retrieves order information from a web service and then sends the information back to a webpage within the application. You must create a custom event. You have the following requirements:- The webpage must contain

an HTML element named ordersListing that will receive the custom event notification.- The event name must be ordersReceived.The event must pass a custom value named orderCount. - The event must run a JavaScript method named
showOrdersReceivedCount after the orders Listing HTML element receives the event. - Do not allow other DOM elements to
receive the event.- Allow the event to be cancelled.- Send the event into the event system. You need to implement the custom event
to notify specific DOM elements of the AJAX response. Which three actions should you perform in sequence? (Develop the solution
by selecting the required code segments and arranging them in the correct order.)



Answer:



QUESTION 103You are troubleshooting an application. Users report that the UI is slow to respond. You need to improve UI responsiveness by moving application tasks to web workers. Which two tasks can you move to achieve this goal? (Each correct answer presents a complete solution. Choose two.) A. A function that loops through the Document Object Model to update the style of page elements B. A long-running calculation that requires looping through an array C. A function that performs graphic-intensive animation D. A function that stores large amounts of data to local storage Answer: BCExplanation:- Despite the improvements in JavaScript engines, it is not uncommon for users to encounter frozen user interfaces as the browser works through resource intensive tasks. This leads to a horrible user experience. The purpose of Web Workers is to give developers a way of instructing the browser to process large tasks in the background; therefore preventing the UI from freezing up.- The Web Workers specification defines an API for spawning background scripts in your web application. Web Workers allow you to do things like fire up long-running scripts to handle computationally intensive tasks, but without blocking the UI or other scripts to handle user interactions QUESTION 104You are developing a web page that includes the following HTML. Hello There! The font color of text inside the span must be red.You need to develop the web page to meet the requirement. Which two CSS segments will achieve the goal? (Each correct answer presents a complete solution. Choose two.)

```
Color: red;

color: red;

B. .myTextSpan

color: red;

Braindump2go.com

C. span#myTextSpan

color: red;

b. #redText

color: red;

color: red;

color: red;

}
```

A. Option AB. Option BC. Option CD. Option D Answer: AC QUESTION 105You develop an interactive scalable vector graphic (SVG) application. You write the following code (Line numbers are included for reference only.): 01 < SCHOOL OPTION OF THE PROPERTY OF

```
01 (script)
02
03 (script)
04 (script)
05 (script)
06 (/svg)
07 (button id="zoom" onclick="zoomIn();">Zoo
```

You need to increase the size of the circle by 50 percent. Which code segment should you insert at line 02? CA function zoomIn() to war myGraphic = document.getEl myGraphic.createSVGTransform()

```
2? CA function zoomIn() {
    var myGraphic = document.getEl
    myGraphic.createSVGTransform()
}

CB. function zoomIn() {
    var myGraphic = document.getEl
    myGraphic.setAttribute("current
}

CC. function zoomIn() {
    var myCircle = document.getEle
    myCircle.setAttribute("current
}

CD. function zoomIn() {
    var myCircle = document.getEle
    myCircle = myCircle.r * 1.5;
}
```

A. Option AB. Option BC. Option CD. Option D Answer: B QUESTION 106You develop an HTML5 webpage. You have the following HTML markup: You need to change the background color for all of the elements whose name attribute ends with the word name. Which code segment should you add to the webpage? <label for="personname">Given and Surname:

```
<!abel for="personname">Given and Surname:</label>
<input type="text" name="personname" /><br />

<p
```

A. \$ ('#name').css ({ 'background-color' : '#E0ECF8' });B. \$ ('input [name |="name";] ') .css (('background-color' : '#E0ECF8'));C. \$ ('input[name\$="name"]'). css { ('background-color' : '#E0ECF8'});D. \$ ('*name') .css ({ 'background-color' : '#E0ECF8'}); Answer: C QUESTION 107You develop an HTML application that is located at www.adventure-works.com.The application must load JSON data from www.fabrikam.com.You need to choose an approach for loading the data.What should you do? A. Design a REST URI scheme with multiple domains.B. Configure Cross-Origin Resource Sharing (CORS) on the servers. C. Load the data by using WebSockets.D. Use the jQuery getJSON method. Answer: BExplanation:- You must use Cross Origin Resource SharingIt's not as complicated as it sounds...simply set your request headers appropriately...in Python it would look like:-

self.response.headers.add_header('Access-Control-Allow-Origin', '*'); self.response.headers.add_header('Access-Control-Allow-Methods', 'GET, POST, OPTIONS');self.response.headers.add_header('Access-Control-Allow-Headers', 'X-Requested-With'); self.response.headers.add_header('Access-Control-Max-Age', '86400');- Cross-origin resource sharing (CORS) is a mechanism that allows Javascript on a web page to make XMLHttpRequests to another domain, not the domain the Javascript originated from.[1] Such "cross-domain" requests would otherwise be forbidden by web browsers, per the same origin security policy. CORS defines a way in which the browser and the server can interact to determine whether or not to allow the cross-origin request.[2] It is more powerful than only allowing same-origin requests, but it is more secure than simply allowing all such cross-origin requests. QUESTION 108You are building a web page for a newspaper publisher. You have the following requirements:- The web page should split the content into columns that are at least 100 pixels wide.- The number of columns displayed must be set by the browser. You need to implement the correct CSS properties. Which line of code should you use? A. <div id="outer" style="width: 100px; column-fill: balance;">...</div>B. <div id="outer" style="width: 100px; column-gap: 10px;">...</div>C. <div id="outer" style="column-width: 100px; ">...</div>D. <div id="outer" style="width: 100px; columns: 100px 3">...</div> Answer: C QUESTION 109You develop a webpage with a standard input control by using HTML5. The input control must display the text Enter your given name, as shown below: When a user selects the input control, the text must disappear. You need to create the input control. Which input control should you use? Enter your given name | A. <i nput name="GivenName" value="Enter your given name" />B. <input name ="GivenName" default=" Enter your given name" />C. <input name="GivenName" text=" Enter your given name" />D. <input name="GivenName" placeholder=" Enter your given name" /> Answer: D QUESTION 110You are creating a custom object as described by the following code. function square(side) this.side = side; than grun paga-carea; }

You need to implement the calcArea method. Which code should you use? A function calcArea () {
 return me.side * me.side;
}

B. function calcArea (obj) {
 return obj.side * obj.side;
}

Braincump2go.com

C. function calcArea () {
 return side * side;
}

CD. function calcArea () {
 return this.side * this.side;

A. Option AB. Option BC. Option CD. Option D Answer: D Braindump2go New Released 70-480 Dumps PDF are Now For Free Download, 225 Latest Questions, Download It Right Now and Pass Your Exam 100%:

Programming in HTML5 with JavaSo



| Page 4/5 |

70-480 PDF Dumps & 70-480 VCE Dumps Full Version Download(225q): http://www.braindump2go.com/70-480.html