
## [OFFICIALBraindump2go 70-511 PDF Instant Download (121-130)

MICROSOFT NEWS: 70-511 Exam Questions has been Updated Today! Get Latest 70-511 VCE and 70-511 PDF Instantly! Welcome to Download the Newest Braindump2go 70-511 VCE&70-511 PDF Dumps:

http://www.braindump2go.com/70-511.html (300 Q&As) Laest 70-511 PDF Dumps and 70-511 VCE Dumps can be downloaded from Braindump2go Now! This New Updated 70-511 Exam Dumps has 300q in all! All Braindump2go 70-511 Exam Questions and Answers are formulated and verified by experienced IT professionals! We guarantee all of you can pass 70-511 Exam successfully! Exam Code: 70-511Exam Name: TS: Windows Applications Development with Microsoft .NET Framework 4Certification Provider: MicrosoftCorresponding Certifications: MCPD, MCPD: Windows Developer 4, MCTS, MCTS: Microsoft .NET Framework 4, Windows Applications 70-511 Dumps PDF, 70-511 PDF, 70-511 VCE, 70-511 eBook, 70-511 Study Guide, 70-511 Certification, 70-511 Exam Questions, 70-511 Book, 70-511 Dump, 70-511 eBook PDF, 70-511 Exam Preparation, 70-511 Dumps Free,70-511 Braindumps,70-511 Practice Tests,70-511 Practice Exam,70-511 Practice Test Free,70-511 TS: Windows Applications Development with Microsoft .NET Framework 4

TS: Windows Applications Development with Microsoft .NET



QUESTION 121You are developing a Windows Presentation Foundation (WPF) application. You use the following markup segment to add a Button control to the design surface of the MainWindow.xaml file. <Window x:Class="Sample.MainWindow"</pre>

xmlns:x="..."> Content="Copy" /> </Grid> </Window>

You add the following code segment to the code-behind file for MainWindow.

CommandBinding copyCommand = Townsadbinding (Application Commands. Copy);

c f f f t t t t t

new ExecutedwoutedEventHam size (c) Command Executed;
this.CommandBindings.Add (copyCommand);

The application will be deployed in an environment that requires alternate key mappings. You need to remove the CTRL+ C input gesture and replace it with the ALT+ C input gesture. What should you do? CA Add the following code segment to the MainWindow.xaml file

<Window.InputBindings>
 <KeyBinding Rey="C"
 Nodifiers="Alt"
 Command="ApplicationCommands.Paste" />
 </Window.InputBindings> C B. Add the following code segment to the constructor of MainWindow.vb ApplicationCommands.Copy.InputGestures.Clear()
ApplicationCommands.Copy.InputGestures.Add(
New KeyGesture(Key.C, ModifierKeys.Alt)) Braindump2go.com C.C. Add the following code segment to the MainWindow.xaml file. <Window.InputBindings>
 <KeyBinding Key\*C"
 Modifiers\*"Control"
 Command\*\*ApplicationCommands.Copy" />
 </Window.InputBindings> C D. Add the following code segment to the constructor of MainWindow.vb ApplicationCommands.Copy.InputGestures.Clear() ApplicationCommands.Copy.InputGestures.Add(
New KeyGesture(Key.C, ModifierKeys.Control))

A. Option AB. Option BC. Option CD. Option D Answer: B QUESTION 122You are developing a Windows Presentation Foundation (WPF) application that displays financial data. The following style is applied to every Label control that displays currency. (Line numbers are included for reference only.)

Old Style x:Key="CurrencyLabel" | BasedOn="{StaticResource {x:Type Label}}"

```
01 <Style x:Key="CurrencyLabel"

02 BasedOn="{StaticResource {x:Type Label}}"

03 TargetType="{x:Type Label}">

04 <Setter Property="Template">

05 COM

06 </Setter.Value>

08 </Setter>

09 </Style>
```

You need to ensure that the style is updated to meet the following requirements regarding currency:- It must be right-aligned.- It must display the number with the regional currency settings. Which markup segment should you insert at line 06? CA ControlTemplates Content="flinding Storage">CCONTROLTEMPLATED CONTROLLED STORAGE CONTROLLE

C D. <ControlTemplate TargetT <ContentPresenter Hori ContentStringFormat= </ControlTemplate>

</ControlTemplate>

A. Option AB. Option BC. Option CD. Option D Answer: A VB QUESTION 123You are developing a Windows Presentation Foundation (WPF) application. The application configuration file is maintained in source control and must not be modified. You need to ensure that developers can override individual settings. Which XML segment should you use in the

A. Option AB. Option BC. Option CD. Option D Answer: D QUESTION 124You are developing a user control for a Windows Presentation Foundation (WPF) application. The user control contains a button. Both the user control and the hosting control must receive the button click event. You need to ensure that the user control responds to the button click event before the hosting control responds to the event. What should you do? A. Use a bubbling routed event. In the button click event handler, set the Handled property to True.B. Use a bubbling routed event. In the button click event handler, set the Handled property to False. C. Use a standard Microsoft .NET event. Set the Handled property to True.D. Use a tunneling routed event. Set the Handled property to False. Answer: C QUESTION 125You use Microsoft .NET Framework 4 to create a Windows Presentation Foundation

(WPF) application. You write the following code fragment. < StackPanel

TextBox.PceviewTextInput="StackPanel\_PreviewTextInput"> <TextBox.Name="TxtBoxA"/> <TextBox.Name="TxtBoxB"/> <TextBox Naroe="TxtBoxC"/></StackPanel>You create an event handler named StackPanel\_PreviewTextInput. You also have a collection of strings named Keywords. You need to ensure that TxtBoxA and TxtBoxB do not contain any of the strings in the Keywords collections. Which code segment should you use? A. Private Sub StackPanel\_PreviewTextInput(sender As Ctoject, e As TextCompositionEventArgs) Dim feSource As FrameworkElement = TryCast(sender, FrameworkElement)If feSource.Name -"TxtBoxA" OrElse feSource.Name - "TxtBoxB" Then For Each keyword As String In KeywordsIf e.Text.Contains(keyword) Then Handled = FalseReturnEnd IfNextHandled = TrueEnd IfEnd Sub B. Private Sub StackPanel\_PreviewTextInput(sender As Object e As TextCompositionEventArgs) Dim feSource As FrameworkElement = TryCast(e.Source, FrameworkElement) If feSource.Name = "TxtBoxA" OrElse feSource.Name = "TxtBoxB" Then For Each keyword As String In KeywordsIf e.Text.Contains(keyword) Then e.Handled False Return End IfNextHandled = TrueEnd IfEnd Sub C. Private Sub StackPanel\_PreviewTextInput(sender As Object, e As TextCompositionEventArgs) Dim feSource As FrameworkElement = TryCast(sender, FraroeworkElement) If feSource.Name = "TxtBoxA" OrElse feSource.Name = "TxtBoxB" Then For Each keyword As String In KeywordsIf e.Text.Contains(keyword) Then e.Handled = True Return End IfNextHandled = FalseEnd IfEnd SubD. Private Sub StackPanel\_PreviewTextInput(sender As Ctoject, e As TextCompositionEventArgs) Dim feSource As FrameworkElement = TryCast(e.Source, FrameworkElement) If feSource.Name = "TxtBoxA" OrElse feSource.Name = "TxtBoxB" Then For Each keyword As String In KeywordsIf e.Text.Contains(keyword) Then e.Handled = TrueReturnEnd IfNextHandled = FalseEnd IfEnd Sub Answer: D QUESTION 126You are developing a Windows Presentation Foundation (WPF) application. You have the following style defined in the app.xaml file.<Style x:Key="btnItalic" x:Name="styleItalic"TargetType="{ x:Type Button}">Setter Property="FontStyle" Value="Itallc"/> </Style>You need to apply this style to a button named button1 in the application at run time. Which code segment should you use? A. button1. Style = TryCast(Me. FindName("styleItalic"), Style)B. button1. Style = TryCast(Me.FindName("btnItalic"), Style)C. button1.Style = TryCast(Me.FindResource("btnItalic"), Style)D. button1.Style = TryCast(Me.FindResource("styleItalic"), Style) Answer: C QUESTION 127You use Microsoft .NET Framework 4 to create a Windows Presentation Foundation (WPF) application. The application displays a list of books. You write the following code fragment. (Line numbers are included for reference only.) You need to ensure that book titles that are out of stock appear in red.

Which code fragment should you insert at line 12? 01 02

```
<Window.Resources>
<XmiDataFrovider x:Key="InventoryData" XPath="Books">
<x:XData>
<Books >
                      <Book Title="XML in Action" Stock="in" />
                      <Book Title="Inside C#" Stock="out" />
<Book Title="Introducing Microsoft .NET" Stock="in"/>
                   </Books>
               </x:XData>
           <Style x:Key="MyItemStyle" TargetType="{x:Type ListBoxItem}">

19
           <ListBox.ItemTemplate>
               <DataTemplate>
21
                 <TextBlock>
22
                      <TextBlock.Text>
                      <Binding XPath="@Title"/>
</TextBlock.Text>
23
               </TextBlock>
</DataTemplate>
       </ListBox.ItemTemplate>
```

A. <Style.Triggers><Trigger Binding. XmlNainespaceManager="< Binding XPath=GStock>" Value="out"><Setter Property="Foreground" Value="Red" /></Triggers> (Style.Triggers> DataTrigger Binding="{Binding XPath=@Stock}" Value="out"><Setter Property="Foreground" Value="Red" /></DataTrigger></Style.Triggers> (Style.Triggers> (Style.Triggers> C. <Style.Triggers> (Trigger Binding. XmlNainespaceManager="{Binding XPath=Book@Stock> "Value="out"><Setter Property="Foreground" Value="Red" /></Trigger> (Style.Triggers> D. <Style.Triggers> (DataTrigger Binding-"Binding XPath=Book@Stock}" Value="out"><Setter Property="Foreground" Value="Red" /></DataTrigger> (Style.Triggers> Answer: B QUESTION 128You use Microsoft .NET Framework 4 to create a Windows Presentation Framework (WPF) application. You plan to create a custom control that contains four text input fields. Each of the text input fields within the control will contain a label. You need to ensure that the text input fields within the control can be validated by using a regular expression Validator. Which class should you inherit from? A. TextBoxB. TextElementC. UIElementD. UserControl Answer: D QUESTION 129You use Microsoft .NET Framework 4 to create a Windows Presentation Foundation (WPF) application. You write the following code

fragment. (Line numbers are included for reference only.) 01 <Canvas>02 <Rectangle Stroke-"Red" StrokeThickness-"5"

Height-"60" 03 Width-"60" Canvas. Left100" Canvas.Top-"100"> 0405 </Rectangle>06 </Canvas>You need to rotate the rectangle
by 45 degrees by using its upper-left corner as the axis. Which code fragment should you insert at line 04? A.

<Rectangle.RenderTransf orin><RotateTransform Angle="45" CenterX="0" CenterY="0" /> </Rectangle.RenderTransform>B.

<Rectangle.RenderTransform><RotateTransform Angle="45" CenterX="100" CenterY="100" /> </Rectangle.RenderTransform>C.

<Rectangle.LayoutTransform><RotateTransform Angle="45" CenterX-"0M CenterY="0"/> </Rectangle.LayoutTransform>D.

<Rectangle.LayoutTransform><RotateTransforro Angle="45" CenterX="100" CenterY="100"7> </Rectangle.LayoutTransform>

Answer: A QUESTION 130You use Microsoft. NET Framework 4 to create a Windows Presentation Foundation (WPF) application. You write the following code fragment. (Line numbers are included for reference only.)You need to ensure that both Button controls display the "Save" text. Which code fragment should you insert at line 06?

Old StackPanel Resources>

A. <TextBlock Text="{Binding}"/>B. <TextBlock Text="{TemplateBinding Content}"/>C. <ContentPresentet Content "Binding}"/>D. <ContentPresenter/> Answer: D Braindump2go New Published Exam Dumps: Microsoft 70-511 Practice Tests Questions, 300 Latest Questions and Answers from Official Exam Centre Guarantee You a 100% Pass! Free Download Instantly!

Questions ar Q&As
Updated: Not \$120.00

FREE DOWNLOAD: NEW UPDATED 70-511 PDF Dumps & 70-511 VCE Dumps from Braindump2go: http://www.braindump2go.com/70-511.html (300 Q&A)