

## Pass 70-410 Exam By Exercising Greatexam Latest Microsoft 70-410 VCE And PDF Dumps(151-160)


[Easy way to pass 70-410 exam] The Microsoft 70-410 questions and answers in PDF on Greatexam, is the most reliable guide for 70-410 exam. Comparing with others', our 70-410 practice test are more authoritative and complete. We provide the latest full version of 70-410 PDF and VCE dumps with new real questions and answers to ensure your 70-410 exam 100% pass.

**QUESTION 151**Your network contains an Active Directory domain named contoso.com. All client computer accounts are in an organizational unit (OU) named AllComputers. Client computers run either Windows 7 or Windows 8.You create a Group Policy object (GPO) named GP1.You link GP1 to the AllComputers OU.You need to ensure that GP1 applies only to computers that have more than 8 GB of memory.What should you configure? A. The Security settings of AllComputersB. The Security settings of GP1C. The WMI filter for GP1D. The Block Inheritance option for AllComputers Answer: C

**QUESTION 152**Your network contains an Active Directory domain named contoso.com. The domain contains two servers named Server1 and Server2.Server1 runs Windows Server 2012 R2. Server2 runs Windows Server 2008 R2 Service Pack 1 (SP1) and has the DHCP Server server role installed.You need to manage DHCP on Server2 by using the DHCP console on Server1.What should you do first? A. From Windows Firewall with Advanced Security on Server2, create an inbound rule.B. From Internet Explorer on Server2, download and install Windows Management Framework 3.0.C. From Server Manager on Server1, install a feature.D. From Windows PowerShell on Server2, run Enable PSRemoting. Answer: D

**QUESTION 153**Your network contains an Active Directory domain named contoso.com. The domain contains a member server named HVServer1. HVServer1 runs Windows Server 2012 and has the Hyper-V server role installed. HVServer1 hosts 10 virtual machines. All of the virtual machines connect to a virtual switch named Switch1. Switch1 is configured as a private network. All of the virtual machines have the DHCP guard and the router guard settings enabled.You install the DHCP server role on a virtual machine named Server 1. You authorize Server1 as a DHCP server in contoso.com. You create an IP scope.You discover that the virtual machines connected to Switch1 do not receive IP settings from Server1.You need to ensure that the virtual machines can use Server1 as a DHCP server.What should you do? A. Enable MAC address spoofing on Server1.B. Disable the DHCP guard on all of the virtual machines that are DHCP clients.C. Disable the DHCP guard on Server1.D. Enable single-root I/O virtualization (SR-IOV) on Server1. Answer: C

**QUESTION 154**Hotspot QuestionYour network contains an Active Directory domain named adatum.com. You create an account for a temporary employee named User1. You need to ensure that User1 can log on to the domain only between 08:00 and 18:00 from a client computer named Computer1. From which tab should you perform the configuration? To answer, select the appropriate tab in the answer area.



Answer:

User1 Properties

Member Of

Dial-in

Environment

Sessions

Remote control

Remote Desktop Services Profile

COM+

General

Address

Account

Profile

Telephones

Organization

User1

First name:

User1

Initials:

Last name:

Display name:

User1

Description:

Office:

Telephone number:

Other...

E-mail:

Web page:

Other...

OK

Cancel

Apply

Help

QUESTION 155 You work as a senior administrator at L2P.com. The L2P.com network consists of a single domain named L2P.com. All servers on the L2P.com network have Windows Server 2012 R2 installed. You are running a training exercise for junior administrators. You are currently discussing the new VHD format called VHDX. Which of the following is TRUE with regards to VHDX? (Choose all that apply.)

A. It supports virtual hard disk storage capacity of up to 64 GB.

B. It supports virtual hard disk storage capacity of up to 64 TB.

C. It does not provide protection against data corruption during power failures.

D. It has the ability to store custom metadata about the file that the user might want to record.

Answer: BD

QUESTION 156 You have a server named Server1 that runs a Server Core Installation of Windows Server 2012 R2. You attach a 4-TB disk to Server1. The disk is configured as an MBR disk. You need to ensure that you can create a 4-TB volume on the disk. Which Diskpart command should you use?

A. Automount

B. Convert

C. Expand

D. Attach

Answer: B

QUESTION 157 Your network contains an Active Directory domain named contoso.com. The domain contains a server named Server1. Server1 runs Windows Server 2012 R2. You need to create 3-TB virtual hard disk (VHD) on Server1. Which tool should you use?

A. Server Manager

B. Diskpart

C. New-StoragePool

D. New-VirtualDisk

Answer: B

QUESTION 158 Your network contains an Active Directory domain named contoso.com. All domain controllers run Windows Server 2012 R2. You create and enforce the default AppLocker executable rules. Users report that they can no longer execute a legacy application installed in the root of drive C. You need to ensure that the users can execute the legacy application. What should you do?

A. Modify the action of the existing rules.

B. Create a new rule.

C. Add an exception to the existing rules.

D. Delete an existing rule.

Answer: B

QUESTION 159 You have two servers named Server1 and Server2. Both servers run Windows Server 2012 R2. The servers are configured as shown in the following table.

Server name	Windows Firewall
Server1	Enabled
Server2	Disabled

The routing table for Server1 is shown in the Routing Table exhibit. (Click the Exhibit button.)

```
Administrator: C:\Windows\system32\cmd.exe

C:\>route print

Interface List
15...00 15 5d 01 46 07 .....Microsoft Hyper-V Network Adapter #2
1...00 00 00 00 00 00 .....Software Loopback Interface 1
13...00 00 00 00 00 00 e0 Microsoft i350/TAP Adapter
14...00 00 00 00 00 00 e0 Teredo Tunneling Pseudo-Interface

IPv4 Route Table
Active Routes:
Network Destination    Netmask          Gateway          Interface        Metric
0.0.0.0                0.0.0.0          10.1.1.4         10.1.1.4         261
10.1.1.4              255.255.255.255  On-link         10.1.1.4         261
10.1.1.255            255.255.255.255  On-link         10.1.1.4         261
127.0.0.0              255.0.0.0        On-link         127.0.0.1        306
127.0.0.1             255.255.255.255  On-link         127.0.0.1        306
127.255.255.255       255.255.255.255  On-link         127.0.0.1        306
255.255.255.255       255.255.255.255  On-link         10.1.1.4         261
255.255.255.255       255.255.255.255  On-link         10.1.1.4         261

Persistent Routes:
None

IPv6 Route Table
Active Routes:
If Metric Network Destination      Gateway
1 306 ::1/128 On-link
15 261 fe80::/64 On-link
15 261 fe80::78d4:23d5:68aa:fbca/128 On-link
1 306 ff00::/8 On-link
15 261 ff00::/8 On-link

Persistent Routes:
None

C:\>
```

From Server1, you attempt to ping Server2, but you receive an error message as shown in the Error exhibit. (Click the Exhibit button.)

```
Administrator: Command Prompt

C:\>ping Server2

Pinging Server2 [192.168.1.10] with 32 bytes of data:
Request timed out.
Request timed out.
Request timed out.
Request timed out.

Ping statistics for 192.168.1.10:
    Packets: Sent = 4, Received = 0, Lost = 4 (100% loss),

C:\>
```

You need to ensure that you can successfully ping Server2 from Server1.What should you do on Server1? A. Disable Windows Firewall.B. Modify the default gateway settings.C. Modify the DNS settings.D. Modify the subnet mask. Answer: B

QUESTION 160Your network contains an Active Directory domain named contoso.com. The domain contains a server named Server1 that runs Windows Server 2012 R2. Server1 has the Hyper-V server role installed. The domain contains a virtual machine named VM1. A developer wants to attach a debugger to VM1. You need to ensure that the developer can connect to VM1 by using a named pipe. Which virtual machine setting should you configure? A. Network AdapterB. BIOSC. ProcessorD. COM 1 Answer: D

If you want to prepare for 70-410 exam in shortest time, with minimum effort but for most effective result, you can use Greatexam 70-410 Practice Test which simulates the actual testing environment and allows you to focus on various sections of 70-410 Exam. Our candidates walk into the testing room as confident as a Certification Administrator. So you can pass the exam without any question. <http://www.greatexam.com/70-410-exam-questions.html>