



[2017-Sep.-NEWExam Pass 100% !Braindump2go 70-357 Dumps PDF 55Q Instant Download[9-16

2017 Sep. Latest 70-357 Exam Dumps with PDF an VCE Free Updated Today! Following are some new 70-357 Questions:1.|2017 New 70-357 Exam Dumps (PDF & VCE) 55Q&As Download:<https://www.braindump2go.com/70-357.html> 2.|2017 New 70-357 Exam Questions and Answers Download:

<https://drive.google.com/drive/folders/0B75b5xYLjSSNSFE3OF9GakVEOUE?usp=sharing> Q9HOTSPOTYou need to properly handle the size of the user interface objects. How should you complete the method? To answer, select the appropriate code segment from each list in the answer area.NOTE: Each correct selection is worth one point.



Answer:



Case Study: 2Mix QuestionsQ10You are developing a Universal Windows Platform (UWP) app. Your app stores files on a user's device. You need to be able to replace the existing files with new files generated by the user. Solution you run the `StorageFile.GetParentAsync` method to get a reference to the existing file. Then, you run the `StorageFile.CreateStreamedFileAsync` method to create the new file at that same location. Does this meet the goal? A. yes B. No Answer: A Q11You are developing a Universal Windows Platform (UWP) app. Your app stores files on a user's device. You need to be able to replace the existing files with new files generated by the user. Solution You run the `StorageFile.OpenSequentialReadAsync` method to replace the existing file. Does this meet the goal? A. yes B. No Answer: B Q12You have two Universal Window Platform (UWP) apps named Catalog and Research, respectively. You need to create a service in the Catalog app that can be queried by the Research app. Which three tasks should you perform? Each correct answer presents part of the solution. A. Enter the package family name of the Catalog app in the Research app. B. Add an app service extension to package.appmanifest file in the Research app. C. Add an app service extension to package.appmanifest file the the Catalog app. D. Enter the package family name of the Catalog app In the Catalog app. E. Add a Windows Runtime component to the Research app. F. Add a Windows Runtime component to the Catalog app. Answer: ABE Q13 HOTSPOTYou are developing a Universal Windows Platform (UWP) app by using XAML and C#. A team member has written a XAML page includes a button with an event handler method named `ButtonSendNotification_Click()` registered to the Click event. You are reviewing the following code segment written by the team member (line numbers are added for reference only):

```
01 public sealed partial class
02 {
03     public MainPage()
04     {
05         InitializeComponent();
06         TitleUpdateManager.CreateTitleUpdateManager(this);
07     }
08     private void ButtonSendNotification_Click()
09     {
10         SendNotification();
11     }
12     private static string GetTitle()
13     {
14         ...
15     }
16     private void SendNotification()
```

```

18 {
19     TileNotification tileNotification = GenerateTileNotification();
20     tileNotification.Tag = "menuItem" + GetMenuItemId();
21     TileUpdateManager.CreateTileUpdaterForApplication().Update(tileNotification);
22 }
23 private TileNotification GenerateTileNotification()
24 {
25     string xml = @"
26         <tile version='1'
27             <text hint-wrap='true'>{this just in...}</text>
28             <text hint-wrap='true' hint-style='captionSubtle'>
29                 <binding>
30                     <binding template='TileSide'>
31                         <text hint-wrap='true'>{this just in...}</text>
32                         <text hint-wrap='true' hint-style='captionSubtle'>
33                             <binding>
34                                 <binding template='TileLarge'>
35                                     <text hint-wrap='true'>{this just in...}</text>

```

```

39      "text hint-wrap="true" hint-style="captionSubtle"/>
40    </bindings>
41    </visual>
42  </title>
43
44  XmlDocument doc = new XmlDocument ();
45  doc.Load(url);
46
47  if (text.InnerText.Length == 0)
48  {
49    text.InnerText = "<?xml encoding='UTF-8'>";
50    XmlElement title = doc.DocumentElement;
51    title.SetAttribute("title", "Top News");
52    return title.OuterText;
53  }
54  }

```

Answer area		
Statement	Yes	No
The code segment will generate a title notification for all platforms.	<input type="radio"/>	<input checked="" type="radio"/>
The code segment will generate a title notification only when a user clicks the button on the XAML page.	<input type="radio"/>	<input checked="" type="radio"/>
The app will display only one title notification, regardless of the number of button clicks.	<input type="radio"/>	<input checked="" type="radio"/>
An exception will be thrown at Line 42 of the code segment.	<input type="radio"/>	<input checked="" type="radio"/>

Answer:

Answer area	
Statement	
The code segment will generate a file notification for all platforms.	<input checked="" type="checkbox"/>
The code segment will generate a file notification only when a user clicks the button on the XAMl page.	<input checked="" type="checkbox"/>
The app will display only one file notification, regardless of the number of button clicks.	<input checked="" type="checkbox"/>
An exception will be thrown at Line 42 of the code segment.	<input type="checkbox"/>

Q14DRAG DROPYou are developing a Universal Windows Platform (UWP) app. Users can drag and drop images on the screen to share them with then friends. You need to implement drag and drop for the app. Users must be able to drop images onto a blue rectangle that the app displays.How should you complete the relevant markup? To answer, drag the appropriate markup segments to the correct targets. Each markup segment may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

```
Markup segments      Answer area
[All markup]         world
                     Markup segment = "true"
...
<testLinkUp anywhere in the blue area if /testLinks
</for>
```

Answer:

Q15 You are developing a Universal Windows Platform (UWP) app. The app must allow the user to select only one file at a time. You need to ensure that the app displays the appropriate dialog window. Which method should you use? A. `StorageItem.GetFileFromPathAsync()` B. `StorageItem.OpenReadAsync()` C. `FileOpenPicker.PickMultipleFilesAsync()` D.

StorageItem.OpenSequentialReadAsync()E. FileOpenPicker.PickSingleFileAsync()Answer: DQ16HOTSPOTYou are developing a Universal Windows Platform (UWP) app that plays audio recordings. You are creating a page where the user can set a volume level for the app using a slider control. You need to display the volume level in TextBox right below the slider. You have C# class named VolumeConverter that converts slider values to a number. You have a page that includes the following markup:

```
<Page ...>
<Page.Resources>
    <local:SliderThumbConverter x:Key="SliderThumbConverter" />
    <local:VolumeConverter x:Key="VolumeConverter" />
    <TextBlock Text="{Binding Path=Value, ElementName=VolumeSlider,
        Converter={StaticResource VolumeConverter}}"/>
</Page>
```

For each of the following statements, select Yes if the statement is true. Otherwise, select No. Note: Each correct selection is worth one point.

Statement	Yes	No
When a user changes the value in the Textbox, the text in the Textbox will automatically move to the corresponding position.	<input type="radio"/>	<input type="radio"/>

Answer:

Statement	Yes	No
When a user changes the value in the Textbox the slider will automatically move to the corresponding position.	<input type="radio"/>	<input checked="" type="radio"/>

!!!RECOMMEND!!! 1.|2017 New 70-357 Exam Dumps (PDF & VCE) 55Q&As Download:
<https://www.braindump2go.com/70-357.html> 2.|2017 New 70-357 Study Guide Video: YouTube Video:
[YouTube.com/watch?v=i7bwdHohynM](https://www.youtube.com/watch?v=i7bwdHohynM)