


100% Pass Microsoft 70-513 Exam Questions and Answers Instant Download in Braindump2go (101-110)

MICROSOFT NEWS: 70-513 Exam Questions has been Updated Today! Get Latest 70-513 VCE and 70-513 PDF Instantly!

Welcome to Download the Newest Braindump2go 70-513 VCE&70-513 PDF Dumps:

<http://www.braindump2go.com/70-513.html> (341 Q&As) Try 2015 Latest Updated 70-513 Practice Exam Questions and Answers, Pass 70-513 Actual Test 100% in 2015 New Year! Braindump2go Latest released Free Sample 70-513 Exam Questions are shared for instant download! Braindump2go holds the confidence of 70-513 exam candidates with Microsoft Official Guaranteed 70-513 Exam Dumps Products! 341 New Updated Questions and Answers! 2015 Microsoft 70-513 100% Success! Exam Code: 70-513Exam Name: TS: Windows Communication Foundation Development with Microsoft .NET Framework 4 Certification Provider: Microsoft Corresponding Certifications: MCPD, MCPD: Web Developer 4, MCPD: Windows Developer 4, MCTS, MCTS: Microsoft .NET Framework 4, Service Communication Applications 70-513 Dumps PDF, 70-513 eBook, 70-513 VCE, 70-513 PDF, 70-513 Latest Dumps, 70-513 Certification, 70-513 Training Kit PDF, 70-513 Braindump, 70-513 Exam Dumps, 70-513 Exam Book, 70-513 Exam PDF, 70-513 Exam Book, 70-513 Exam Preparation, 70-513 Dumps VCE, 70-513 Practice Test, 70-513 Practice Exam, 70-513 Preparation Book

TS: Windows Communication Foundation Development with Microsoft .NET Framework 4: 70-513



Product Description Exam Number/Code: 70-513

Exam Number/Code: 70-513

"TS: Windows Communication Foundation Development with Microsoft .NET Framework 4", also known as 70-513 exam, is a Microsoft Certification. With the complete collection of questions and answers, Braindump2go has assembled to take you through 341 Q&As to your 70-513 Exam preparation. In the 70-513 exam resources, you will cover every field and category in Microsoft MCPD helping to ready you for your successful Microsoft Certification.

Free Demo Download

Braindump2go offers free demo for 70-513 exam (TS: Windows Communication Foundation Development with Microsoft .NET Framework 4). You can check out the interface, question quality and usability of our practice exams before you decide to buy it.

☒ Printable PDF ☒ Premium VCE + VCE Simulator

Questions and Answers : 341 Q&As

Updated: Nov 13, 2015

~~\$429.99~~ **\$99.99**

[PDF DEMO](#)

[CHECK OUT](#)

QUESTION 101 An ASP.NET application hosts a RESTful Windows Communication Foundation (WCF) service at /Services/Contoso.svc. The service provides a JavaScript resource to clients. You have an explicit reference to the JavaScript in your page markup as follows. `<script type="text/javascript" src="/Services/Contoso.svc/js" />` You need to retrieve the debug version of the service JavaScript. What should you do? A. In the `<%@ ServiceHost %>` header for /Services/Contoso.svc, set the Debug attribute to true. B. In the `<%@ Page %>` header, set the Debug attribute to true. C. In the script tag, add a debug attribute and set its value to true. D. In the script tag, append debug to the src attribute. Answer: D

QUESTION 102 Your company has an existing Windows Communication Foundation (WCF) service that allows business partners to place orders. The service uses netMsmqBinding. You find that processing every order in its own transaction is causing a delay. You need to ensure that the service is configured to process multiple orders in one transaction. What should you do? A. Use `<serviceThrottling>` service behavior and set the maxConcurrentCalls attribute. B. Use `<transactedBatching>` endpoint behavior and set the maxBatchSize attribute. C. Use `<dispatcherSynchronizationBehavior>` endpoint behavior and set the maxPendingReceives attribute. D. Use `<synchronousReceive>` endpoint behavior. Answer: B

QUESTION 103 You are adding a Windows Communication Foundation (WCF) service to an existing application. The application is configured as follows. (Line numbers are included for reference only.) You need to configure the service to publish the service metadata. Which two actions should you perform? (Each answer presents part of the solution. Choose two.)

```
01 <configuration>
02   <system.serviceModel>
03     <services>
04       <service name="Contoso.Sales.StockService"
05         behaviorConfiguration="MetadataBehavior">
06         <host>
07           <baseAddresses>
08             <add
09               baseAddress="http://contoso.com:8080/StockService" />
10             </add>
11           </baseAddresses>
12         </host>
13       </service>
14     </services>
15     <behaviors>
16       <serviceBehaviors>
17         <behavior name="MetadataBehavior">
18           <dispatchSynchronizationBehavior />
19         </behavior>
20       </serviceBehaviors>
21     </behaviors>
22   </system.serviceModel>
23 </configuration>
```

A. Add the following XML segment between lines 10 and 11: <endpoint address="" binding="mexHttpBinding" contract="MetadataExchange" /> B. Add the following XML segment between lines 10 and 11: <endpoint address="" binding="basicHttpBinding" contract="MetadataExchange" /> C. Add the following XML segment between lines 15 and 16: <serviceDiscovery> <announcementEndpoints> <endpoint address="" /> </announcementEndpoints> </serviceDiscovery> D. Add the following XML segment between lines 15 and 16: <serviceMetadata httpGetEnabled="true" /> Answer: AD QUESTION 104 You are creating an application that consumes a Windows Communication Foundation (WCF) service. The service implements the IService contract. The client application contains the CallbackHandler class, which implements IServiceCallback. You need to ensure that a client proxy is created that can communicate with the service over a duplex channel. Which code segment should you use? A. var handler = new CallbackHandler(); var clientFactory = new DuplexChannelFactory<IService>(new WSHttpContextBinding()); var client = clientFactory.CreateChannel(new InstanceContext(handler), new EndpointAddress("...")); B. var handler = new CallbackHandler(); var clientFactory = new DuplexChannelFactory<IService>(typeof(CallbackHandler), new WSDualHttpBinding()); var client = clientFactory.CreateChannel(new InstanceContext(handler), new EndpointAddress("...")); C. var handler = new CallbackHandler(); var clientFactory = new DuplexChannelFactory<IService>(new WSHttpBinding()); var client = clientFactory.CreateChannel(new InstanceContext(handler), new EndpointAddress("...")); D. var handler = new CallbackHandler(); var clientFactory = new DuplexChannelFactory<IService>(typeof(CallbackHandler), new WSDualHttpBinding()); var client = clientFactory.CreateChannel(new EndpointAddress("...")); Answer: D QUESTION 105 The endpoint of a Windows Communication Foundation (WCF) service uses basicHttpBinding for its binding. Your company's policies have changed to require that messages not be sent in clear text. You must ensure that all messages are encrypted when traveling across the network. What should you do? A. Set the ProtectionLevel property on the service contract and update the binding attribute in the endpoint element of the configuration file to wsHttpBinding. B. Set the ProtectionLevel property on the service contract and update the bindingConfiguration attribute in the endpoint element of the configuration file to webHttpBinding. C. Set the PrincipalPermissionAttribute on the service contract and update the binding attribute in the endpoint element of the configuration file to wsHttpBinding. D. Set the PrincipalPermissionAttribute on the service contract and update the bindingConfiguration attribute in the endpoint element of the configuration file to wsHttpBinding. Answer: A QUESTION 106 You are creating a Windows Communication Foundation (WCF) service. The service endpoints change frequently. On the service, you add a new ServiceDiscoveryBehavior to the Behaviors collection of the ServiceHost Description property. You need to ensure that client applications can communicate with the service and discover changes to the service endpoints. What should you do? A. Add a new ServiceDiscoveryBehavior to the Behaviors collection in the client application. B. Add a new AnnouncementClient to the Behaviors collection in the client application. C. Use the FindCriteria class and the UdpDiscoveryEndpoint class to set up the binding in the client application. D. Use the DiscoveryProxy class and the EndpointDiscoveryMetadata class to set up the binding in the client application. Answer: C QUESTION 107 You are developing an application that performs file backups in the background. The background application will host a Windows Communication Foundation (WCF) service and must be active as soon as the machine is running. The background application will not have a user interface. A front-end application will consume the WCF service and will provide the user interface. You need to choose a host environment for the WCF service. Which hosting environment should you choose? A. Microsoft Internet Information Services (IIS) 6.0 B. Windows Process Activation Services (WAS) C. a Windows Forms application D. a Windows Service Answer: D QUESTION 108 You are developing a Windows Communication Foundation (WCF) service. The service needs to access out-of-process resources. You need to ensure that the service accesses these resources on behalf of the originating caller. What should you do? A. Set the value of ServiceSecurityContext.Current.WindowsIdentity.ImpersonationLevel to TokenImpersonationLevel.Impersonation B. Set the value of ServiceSecurityContext.Current.WindowsIdentity.ImpersonationLevel to TokenImpersonationLevel.Delegation C. Set the PrincipalPermissionAttribute on the service contract and update the binding attribute in the endpoint element of the configuration file to wsHttpBinding D. Set the PnnicipalPermissionAttribute on the service contract and update the bindingConfiguration attribute in the endpoint element of the configuration file to wsHttpBinding Answer: B QUESTION 109 You are developing a Windows Communication Foundation (WCF) service to provide shopping cart support. ASP.NET compatibility mode is not enabled. The shopping cart information must be retained across user visits to the store until the user explicitly empties the cart or submits the cart contents to order. You need to implement the service as a DurableService. Which two actions should you perform? (Each correct answer presents part of the solution. Choose two.) A. Use basicHttpBinding for both the client application and the service. B. Create the persistence provider database and configure the persistenceProvider element of the service behavior to point to that database. C. Use wsHttpContextBinding for both the client application and the service. D. In the method to add an item to the shopping cart, serialize the shopping cart contents after adding the current item and storing it in a Session variable. Answer: BC

QUESTION 110You have an existing Windows Communication Foundation (WCF) service that exposes a service contract over HTTP. You need to expose that contract over HTTP and TCP. What should you do? A. Add a net.tcp base address to the host. B. Add an endpoint configured with a netTcpBinding. C. Add an endpoint behavior named netTcpBehavior to the existing endpoint. D. Add a binding configuration to the existing endpoint named netTcpBinding. Answer: B Braindump2go Latest 70-513 Exam Dumps Released! 100% Real Questions - Dumps Qualification is the secret of Success! Prepare yourself to Face the 70-513 Exam with Real Exam Questions from Microsoft Official Exam Center, walk into the Testing Centre with confidence.

TS: Windows Communication Foundation (WCF) Microsoft .NET Framework



Questions and Answers : 341 Q&As
Updated: Nov 13, 2015
~~\$429.99~~ **\$99.99**
[PDF DEMO](#)
[CHECK OUT](#)

Product
Exam Number
TS: Windows Communication Foundation (WCF) known as and answer Exam preparation Microsoft
Free Download
Braindump2go Development quality and
[Print](#)

FREE DOWNLOAD: NEW UPDATED 70-513 PDF Dumps & 70-513 VCE Dumps from Braindump2go:
<http://www.braindump2go.com/70-513.html> (341 Q&A)