

[2018-Latest-Version100% Real Exam Questions-Braindump2go NS0-155 Exam VCE and NS0-155 PDF 195Q Download[56-66

2018 January New NetApp NS0-155 Exam Dumps with PDF and VCE Free Updated Today! Following are some new NS0-155

Real Exam Questions:1.[2018 New NetApp NS0-155 Exam Dumps (PDF & VCE) 195Q&As Download:

<https://www.braindump2go.com/ns0-155.html>2.[2018 New NetApp NS0-155 Real Exam Question & Answers Download:

<https://drive.google.com/drive/folders/1MxkLZN5KA1zypVT09BJ6WLvLiN2Rnad8?usp=sharing>QUESTION 56The snapvault

snap create volume snapname command can be executed on the _____.A. open systemsB. primary system onlyC.

secondary system onlyD. secondary or primary systemsAnswer: DQUESTION 57The SnapVault secondary system allows you to

keep a separate schedule of Snapshot copies from your primary system.A. TrueB. FalseAnswer: AQUESTION 58Which three

statements apply to NearStore Personality license? (Choose three.)A. It increases the storage capacity.B. It converts the

destination storage system to a NearStore system.C. It requires the nearstore_option license on the destination storage system.D.

It provides increased concurrent streams when the storage systems are used as destinations for SnapMirror and SnapVault

transfers.Answer: BCDQUESTION 59Which Data ONTAP option sets system-wide throttling for all transfers?A. options

transfer.wide.enableB. options transfer.throttle.enableC. options replication.wide.enableD. options

replication.throttle.enableAnswer: DQUESTION 60The qtree specified for ____ must not exist on the secondary system before you

run the ____ command.A. pri_qtree_path, snapvault startB. sec_qtree_path, snapvault startC. pri_qtree_path, snapvault

initializeD. sec_qtree_path, snapvault initializeAnswer: BExplanation: snapvault initialize is not a valid command

http://backdrift.org/man/netapp/man1/na_snapvault.1.html snapvault start -r [options] -S [prim_system:]prim_qtree_path

[sec_system:] sec_qtree_pathpri_qtree_path is not a valid command

[http://hd.kvsconsulting.us/netappdoc/801docs/html/ontap/onlinebk/GUID-DB31E1F4-60A8-4F34-](http://hd.kvsconsulting.us/netappdoc/801docs/html/ontap/onlinebk/GUID-DB31E1F4-60A8-4F34-A1C4-8F79754E4DE2.html)

[A1C4-8F79754E4DE2.html](http://hd.kvsconsulting.us/netappdoc/801docs/html/ontap/onlinebk/GUID-DB31E1F4-60A8-4F34-A1C4-8F79754E4DE2.html)QUESTION 61The snapvault restore command is run on the _____.A. secondary system to push

data to the primary systemB. primary system to pull data from the secondary systemC. secondary system to pull data from the

primary systemD. secondary system to push data to the primary storage systemAnswer: BExplanation:

https://library.netapp.com/ecmdocs/ECMP1196979/html/man1/na_snapvault.1.htmlThe snapvault command has a number of

subcommands. The set of subcommands differs on the primary and secondary.On the primary, the subcommands allow users to

configure and manage a set of snapshots for potential replication to the secondary, to abort replication transfers to the secondary, to

check status, to restore data from the secondary, and to release resources when a primary qtree will no longer be replicated to a

secondary.On the secondary, the subcommands allow users to configure and manage the replication of primary paths to secondary

qtrees, to configure and manage the snapshot schedules which control when all the qtrees in a secondary volume are updated from

their respective primary paths and how many snapshots to save, to abort transfers, to check status, and to release resources preserved

to restart backups from a restored qtree.QUESTION 62To restore a qtree protected with SnapVault from the secondary storage

system to the primarystorage system, you can _____. (Choose two.)A. restore to a non existing qtree with DOT 7.2B.

add the new qtree to the primary storage system with DOT 7.2C. overwrite the existing qtree on the primary storage system with

DOT 7.3D. delete the existing qtree from the secondary storage system with DOT 7.3Answer: ACEExplanation:

[https://library.netapp.com/ecmdocs/ECMP1196991/html/GUID-DB31E1F4-60A8-4F34-A1C4-](https://library.netapp.com/ecmdocs/ECMP1196991/html/GUID-DB31E1F4-60A8-4F34-A1C4-8F79754E4DE2.html)

[8F79754E4DE2.html](https://library.netapp.com/ecmdocs/ECMP1196991/html/GUID-DB31E1F4-60A8-4F34-A1C4-8F79754E4DE2.html)You use the

snapvault restore command to restore a backed-up qtree saved to the secondary system. Starting with Data ONTAP 7.3, you can

restore the data to an existing qtree on the primary system using baseline restore or incremental restore.QUESTION 63The snapvault

update command is only available on the secondary system.A. TrueB. FalseAnswer: AExplanation:

https://library.netapp.com/ecmdocs/ECMP1196979/html/man1/na_snapvault.1.html snapvault update [-k n] [-s snapname] [-w]

sec_ondary_qtree Available on the secondary only. Immediately starts an update of the specified qtree on the secondary.QUESTION

64Which tool is available on an OSSV client to assist in starting or stopping the OSSV service, modifying NDMP settings, enabling

debugging, and capturing trace files?A. Operations ManagerB. Protection ManagerC. Svconfigurator GUID.

svdebug.exeAnswer: CExplanation:<http://synergy-ds.com/netapp/tr-3466.pdf>




Figure 2) svconfigurator.

After installing the OSSV agent on your primary system, you complete the basic configuration by modifying any outstanding parameters using the `svconfigurator` tool (accessible from the Start menu or from the command line, or `$INSTALL_DIR\bin\svconfigurator.exe` (`$INSTALL_DIR/bin/svconfigurator` in UNIX)).

QUESTION 65 The OSSV agent on the primary system listens to TCP port 10000 for all SnapVault communications. A. True B. False
Answer: A
Explanation: <https://communities.netapp.com/servlet/JiveServlet/previewBody/4791-102-2-13466/tr-3466.pdf> OSSV hosts listen for communications from NDMP manager applications on port 10000 by default.
QUESTION 66 What security mechanism can an administrator use on an OSSV client to set permissions allowing backups to a SnapVault secondary system?
A. Via `/etc/hosts.equiv` file
B. QSM access list modifiable via `svconfigurator`
C. Contents inside a file called `access` and located in `OSSV/snapvault/etc/d`
D. MD5 based authentication between SnapVault primary and secondary, with changeable password
Answer: B!!!
RECOMMEND!!!
1. |2018 New NetApp NS0-155 Exam Dumps (PDF & VCE) 195 Q&As Download:
<https://www.braindump2go.com/ns0-155.html>
2. |2018 New NetApp NS0-155 Study Guide Video: YouTube Video:
[YouTube.com/watch?v=G74IQEevDwI](https://www.youtube.com/watch?v=G74IQEevDwI)